



PROJECT: _____

MODEL: _____ SERIAL#: _____

ITEM #: _____ QUANTITY: _____

APPROVAL: _____ DATE: _____

Undercounter Ice Machines

Air Cooled, Half Cube

MODELS #194UCH280A

Always have plenty of ice on demand in bars, restaurants, or concession stands.

FEATURES

- Durable stainless steel exterior
- Digital controller notifies user of any issues, stage of production, cleaning cycle, and adjusts ice thickness
- Air filter is easily removable for cleaning
- Includes mounting holes for OceanLoch water filters
- Includes adjustable legs for leveling your ice machine
- Includes ice scoop

ICE STYLE

This unit produces half cube size ice.



Half Cube

3/8" x 7/8" x 7/8"



Full Cube

7/8" x 7/8" x 7/8"



24 HOUR ICE PRODUCTION

| | |
|---------------------|---------|
| 70°F air/50°F water | 299 lb. |
| 90°F air/70°F water | 234 lb. |

OPTIONS & ACCESSORIES

790OCLOKITM

C Pure, Oceanloch-M Water Filtration System, 1 Micron Rating and 1.67 GPM



WARRANTY

RESIDENTIAL: Avantco assumes no liability for parts or labor coverage for component failure, factory defect or any other damages for units installed in non-commercial foodservice or residential applications.



Parts & Labor




Compressor



★ Conforms to UL & NSF-7 Standards

PLAN VIEW



TECHNICAL DATA

Installation Requirements


| | |
|---------------------------|---------------------------|
| Ambient Temperature Range | 40° to 90°F |
| Water Temperature Range | 40° to 90°F |
| Water Pressure Range | 18.75 psi min; 80 psi max |
| Potable Water Usage | 15.5 gal/100 lbs. ice |

Dimensions

| | |
|----------------------|--------------------------|
| Unit Dimensions | 26"W x 27"D x 38.2"H |
| Net Weight | 133 lb. |
| Gross Weight | 155 lb. |
| Packaging Dimensions | 30.8"W x 29.4"D x 35.5"H |

Electrical

| | |
|-------------------------------|------------|
| Voltage | 115 |
| Amps | 8.6 |
| Hz | 60 |
| Phase | 1 |
| Plug Type | NEMA 5-15P |
| BTU/hr | 2477 |
| Power kWh/100 lbs. Ice | 6.2 |
| Max Fuse Size or HACR Breaker | 15 |
| Refrigerant | R290 |



NEMA 5-15P