



More options and sizes available.

- 50 Unique Sku's
- 45 Yellow cabinets
- 5 Red cabinets
- 13 of the Yellow cabinets include legs
- 24 Self Closing cabinets - 26 Manual Closing
- Cabinets range from a 2 gallon capacity, up to 120 gallons
- 48 cabinets have been FM Approved. (On our smallest 2 Gallon cabinet, FM Approval is not required due to the low amount flammables being stored)
- Sturdy, all welded, double wall steel construction
- Shelf included and adjust on 4" centers
- 2" deep leak proof base
- Electric ground on each cabinet to aid in the elimination of electrostatic discharge
- Improved locking, recessed handle. Allows for keyed or pad locking
- Bunged air vents on each side allow for ventilation
- All cabinets include leveling feet
- All cabinets are ready for use
- Over 100 years of manufacturing Safety products



FM Approved Flammable Safety Cabinet

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electro-static discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety Yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (In.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (Lbs.)
*1002M-50	2	17-7/16 x 18-1/8 x 17-1/4	1	FS-SH-1413	Manual	77
*1002S-50	2	17-3/8 x 18-1/8 x 18-3/8	1	FS-SH-1413	Self Closing	82
1004M-50	4	17-3/8 x 18-1/8 x 22-1/8	1	FS-SH-1413	Manual	101
1004S-50	4	17-3/8 x 18-1/8 x 23-3/8	1	FS-SH-1413	Self Closing	110
1012MH-50	12 - Horizontal	43 x 18 x 17-15/16	1	FS-SH-1439	Manual	170
1012MA-50	Accommodates 24 standard 12 oz. cans	23 x 18 x 35	2 Slide Shelves	-	Manual	168
1012M-50	12	23 x 18 x 35	1	FS-SH-1419	Manual	153
1012S-50	12	23 x 18 x 36-3/8	1	FS-SH-1419	Self Closing	165
1016M-50	16	23 x 18 x 44	1	FS-SH-1419	Manual	186
1016S-50	16	23 x 18 x 45-3/8	1	FS-SH-1419	Self Closing	196
1022M-50	22	23-5/16 x 18-1/8 x 65	2	FS-SH-1419	Manual	290
1022S-50	22	23-5/16 x 18-1/8 x 66-3/8	2	FS-SH-1419	Self Closing	305
1022UCM-50	22	35 x 22 x 35	1	FS-SH-1731	Manual	237
1022UCS-50	22	35 x 22 x 35	1	FS-SH-1731	Self Closing	241
1024M-50	24	23 x 18 x 65	3	FS-SH-1419	Manual	280
1024S-50	24	23 x 18 x 65	3	FS-SH-1419	Self Closing	281
1030M-50	30	43 x 18 x 44	1	FS-SH-1439	Manual	277
1030S-50	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	297
1030MPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Manual	372
1030SPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Self Closing	374
1045M-50	45	43 x 18 x 65	2	FS-SH-1439	Manual	390
1045S-50	45	43 x 18 x 66-3/8	2	FS-SH-1439	Self Closing	409
1055MDSR-50	55 - Drum	34 x 34 x 65	1	FS-SH-2930	Manual	492
1055SDSR-50	55 - Drum	34 x 34 x 66-3/8	1	FS-SH-2930	Self Closing	518
1060M-50	60	34 x 34 x 65	2	FS-SH-2930	Manual	470
1060S-50	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	496
1060MPI-50	60 - Paint & Ink	43 x 18 x 65	5	FS-SH-0839	Manual	423
1060SPI-50	60 - Paint & Ink	43 x 18 x 66-3/8	5	FS-SH-0839	Self Closing	444
1090M-50	90	43 x 34 x 65	2	FS-SH-2939	Manual	540
1090S-50	90	43 x 34 x 66-3/8	2	FS-SH-2939	Self Closing	571
1120M-50	120	59-1/16 x 34 x 65	2	-	Manual	677
1120S-50	120	59 x 34 x 66-5/16	2	-	Self Closing	715

FOB TX

*FM Approval not required

Updated 8/10/22

FM APPROVED FLAMMABLE SAFETY CABINETS



FM Approved Flammable Safety Cabinet

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electro-static discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Red, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
1030M-17	30	43 x 18 x 44	1	FS-SH-1439	Manual	272
1030S-17	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	292
1045M-17	45	43 x 18 x 65	2	FS-SH-1439	Manual	383
1060M-17	60	34 x 34 x 65	2	FS-SH-2930	Manual	464
1060S-17	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	596

FM APPROVED FLAMMABLE SAFETY CABINETS



FM Approved Flammable Safety Cabinet with Legs

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground to aid in the elimination of an electro-static discharge
- Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" Box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety Yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
1012ML-50	12	23 x 18 x 41	1	FS-SH-1419	Manual	165
1012SL-50	12	23 x 18 x 42-3/8	1	FS-SH-1419	Self Closing	176
1016ML-50	16	23 x 18 x 50	1	FS-SH-1419	Manual	196
1016SL-50	16	23 x 18 x 51-3/8	1	FS-SH-1419	Self Closing	207
1030ML-50	30	43 x 18 x 50	1	FS-SH-1439	Manual	286
1030SL-50	30	43 x 18 x 51-3/8	1	FS-SH-1439	Self Closing	306
1045ML-50	45	43 x 18 x 71	2	FS-SH-1439	Manual	398
1045SL-50	45	43 x 18 x 72-3/8	2	FS-SH-1439	Self Closing	418
1060ML-50	60	34 x 34 x 71	2	FS-SH-2930	Manual	487
1060SL-50	60	34 x 34 x 72-3/8	2	FS-SH-2930	Self Closing	513
1090ML-50	90	43 x 34 x 71	2	FS-SH-2939	Manual	557
1090SL-50	90	43 x 34 x 72-3/8	2	FS-SH-2939	Self Closing	588
1120M-50	120	59-1/16 x 34 x 65	2	-	Manual	694