

ITCB Dual-Volt High Volume, PE

35.0" x 24.3" x 10.0"
(88.9cm x 61.7cm x 25.4cm)



- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Brews into 1.5 gallon and 1.0 gallon BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Dilution feature also allows for brewing iced coffee
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital temperature control and cold brew lockout
- Energy-saver mode reduces tank temperature during idle periods
- Large 3gal (11.4L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

Agency:



Specifications

Product #: 54000.0100

Funnel: Translucent Tea Funnel

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Funnel: Stainless Steel

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	2	60
120/240	17	4050	-	N/A	183	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.25


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
01/01/2019



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.0 in.	35.0 in.	24.3 in.	-	-	-	78.400 lbs	-
Metric	25.4 cm	88.9 cm	61.7 cm	-	-	-	35.562 kgs	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
01/01/2019

Related Products & Accessories:ITCB Dual-Volt High Volume, PE(54000.0100)



FILTERS, GOURMET 500
500/1 50/CL

Product #: 20138.1000



STAND ASSY, TF
SERVER GEN3

Product #: 39795.0200

STAND ASSY, TF
SERVER

Product #: 54473.0000

FUNNEL ASSY, SST
INFUSION COFFEE

Product #: 54675.0001



Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)



TD4T, SIGHT GAUGE
NUDGER HDL

Product #:03250.0004



TD4T, BREW THRU LID
NUDGER HDL

Product #:03250.0005



TD4T, BREW THRU LID
NO DECAL NUDGER
HDL

Product #:03250.0018



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU
LID & LIFT HANDLE

Product #:03250.0043



AIRPOT, 2.5L SST LA 6/
CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA
SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/
CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR
BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR,
BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK
1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK
1.9L 1PK

Product #:36029.0001



THERMAL CARAFE, ORN
1.9L 12PK

Product #:36252.0000



THERMAL CARAFE, ORN
1.9L 1PK

Product #:36252.0001



AIRPOT, 3.8L SST LA
SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/
CASE

Product #:36725.0100



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
01/01/2019

Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)



TDO-N-3.5, RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/
LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/
PINCH TUBE

Product #:39600.0047



TF SERVER, DSG2
1G/3.8L

Product #:42700.0000



TF SERVER, DSG2
1G/3.8L BLK

Product #:42700.0001



TF SERVER, DSG2 1G
CD

Product #:42700.0003



TF SERVER, DSG2 1G
BLK CD

Product #:42700.0004



TF SERVER, 1G DSG
GEN3

Product #:42700.0200



TF SERVER, DSG2 1.5G
SST

Product #:42750.0000



TF SERVER, DSG2 1.5G
BLK

Product #:42750.0001



TF SERVER, DSG2 1.5G
CD

Product #:42750.0003



TF SERVER, DSG2 1.5G
BLK CD

Product #:42750.0010



TF SERVER, 1.5G DSG
GEN3

Product #:42750.0200



TD3T-N, RSVR BREW
THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID
LID BUNN

Product #:43900.0002



TF SERVER, 1G/3.8L
MECH

Product #:44000.0000



TF SERVER, 1G/3.8L
MECH BLK

Product #:44000.0001



TF SERVER, 1G MECH
GEN3

Product #:44000.0200



TF SERVER, 1.5G/5.7L
MECH

Product #:44050.0000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
01/01/2019

Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)



TF SERVER, 1.5G/5.7L
MECH BLK

Product #:44050.0001



TF SERVER, 1.5G MECH
GEN3

Product #:44050.0200



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
01/01/2019