ICFC Series

Commercial Display Freezers





360ICFC12



Features

- 11.6 cu. ft. of storage
- · Sliding glass doors
- White powder coated steel exterior
- Embossed aluminum interior
- (4) casters for easy transport
- (3) baskets included
- R134a refrigerant
- Drain plug
- Meets ETL electrical standards

Display ice cream, popsicles, and other frozen novelties in style with this Avantco ICFC12 11.6 cu. ft. curved lid display freezer! Its sliding, vacuum-sealed glass doors provide crystal clear visibility of your best-selling cold treats. Featuring a durable embossed aluminum interior, this freezer's foamed in place polyurethane insulation maintains temperatures between -0.4 and 10 degrees Fahrenheit. Its white powder coated steel

A set of casters makes it easy to transport this display freezer or move it for maintenance, and it also features a drain plug for easy defrosting. The Avantco ICF12 is ETL Safety Listed, 115V and comes with a cord and NEMA 5-15P plug.

exterior provides a sleek, attractive appearance.
Three baskets are included to help keep products

organized.

Technical Data

Dimensions

Exterior Dimensions (W x D x H)	48 ¹⁵ / ₁₆ " x 24 ⁷ / ₁₆ " x 34 ¹ / ₄ "
Interior Dimensions (W x D x H)	44" x 19" x 27"
	(12"W x 10 ½"H box for
	compressor excluded)
Net Volume (cu. ft.)	11.6
Net Weight (lbs.)	143

Cooling

Temperature Range	-0.4° - 10° F
Refrigerant	R134a
Maximum Ambient Temperature Rating	90°F
Defrosting	Manual
Temperature Controller	Manual

Construction

Exterior Material	Steel sheet with White Powder Coating
Interior Material	Embossed Aluminum Sheet
Insulation Material	Foamed in Place Polyurethane
Basket Material	Plastic Coated Wire
Drain	Located on back side

Electrical

Voltage	115
Amps	5.2
Hz	60
Phase	1
Electrical Cord Length	80"
NEMA Plug	5-15P
Cord and Plug Included	Yes





Plan View



