{14.02}

SlideSecure Security Units Super Erecta® & MetroMax®

Security Units Super Erecta® & MetroMax® provide **safe storage** and protects valuable materials and sensitive items from loss or pilferage.

Microban® Antimicrobial Product Protection*: Metroseal Green, Metroseal Gray, and MetroMax Q models feature Microban Antimicrobial Product Protection that helps fight the growth of stain and odor-causing bacteria to keep product cleaner between cleanings.

Ready View of Contents: Heavy-gauge open wire construction keeps the entire contents of the unit visible at all times, making it easy to check inventory.

Adjustable, Optional Intermediate Shelves: Patented, easily adjustable shelf designs — Super Erecta EZ-ADD, Super Adjustable Super Erecta, and MetroMax Q — allow flexibility to meet changing needs. Can be positioned in 1" (25 mm) increments along the entire height of post.


Choose from Stationary or Mobile Configurations:

Easy Cleaning of Storage Areas: Mobile units move easily from walls to allow thorough cleaning of floors and walls.

Time Saving Assembly: Metro security units assemble quickly — right out of the box.

Shipped Knocked-Down: Saves on freight.

Sliding Doors: Each door slides over each other to save aisle space and has a flip lock that accommodates a pad lock. Perfect for use in Top-Track & qwikTRAK applications.



Locking

Standard Pad lock: Not included

NOTE: Super Erecta and MetroMax options are NSF Listed.

All Metro Catalog Sheets are available on our website: **metro.com**

Information and specifications are subject to change without notice.
Please confirm at time of order.
Copyright © 2024 InterMetro Industries Corp.

metro.com
North Washington Street, Wilkes-Barre, PA 18705
Product Information. U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: metro.com/contactus

Pre-Configured Security Units with Intermediate Shelves


Super Erecta Stationary Pre-Configured Security Units with Intermediate Shelves

• Pre-Configured Security Units come with (2) Intermediate Shelves

Chrome* Cat. No.	Chrome Cat. No.	Metroseal Gray Cat. No.	Stainless Steel Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
SEC55C-SL-2EZ	**SEC55C-SL-2SE**	**SEC55K4-SL-2SE**	**SEC55S-SL-2SE**	28 1/2	724	50 1/2	1295	66 13/16	1695	24x48	610x1219	270	122
SEC56C-SL-2EZ	**SEC56C-SL-2SE**	**SEC56K4-SL-2SE**	**SEC56S-SL-2SE**	28 1/2	724	62 1/2	1587	66 13/16	1695	24x60	610x1524	285	129

* Comes with (2) EZ ADD Intermediate Shelves

*Unique **EZ-ADD** shelf fits between the posts and rests on **EZ-ADD** Clips.*



Super Erecta Mobile Pre-Configured Security Units with Intermediate Shelves

• Pre-Configured Security Units come with (2) Intermediate Shelves

Standard-Duty Stem Caster Models: feature 5" (127 mm) swivel casters.
Please note model numbers for specific caster types.

Chrome* (2) 5MP (2) 5MPB Casters Cat. No.	Chrome (2) 5MP (2) 5MPB Casters Cat. No.	Metroseal Gray (2) 5PC (2) 5PCB Casters Cat. No.	Stainless Steel (2) 5MPGSA (2) 5MPBGSA Casters Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
SEC55EC-SL-2EZ	**SEC55EC-SL-2SE**	**SEC55VK4-SL-2SE**	**SEC55S-SD-SL-2SE**	28 1/2	724	52 3/4	1340	68 1/2	1740	24x48	610x1219	280	127
SEC56EC-SL-2EZ	**SEC56EC-SL-2SE**	**SEC56VK4-SL-2SE**	**SEC56S-SD-SL-2SE**	28 1/2	724	65	1651	68 1/2	1740	24x60	610x1524	295	134

* Comes with (2) EZ ADD Intermediate Shelves

MetroMax Stationary SlideSecure Units with Intermediate Shelves

• Pre-Configured Security Units come with (2) Intermediate Shelves

MetroMax Q Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
MQSEC55E-SL-2MQ	26 15/16	685	50 7/8	1292	66 3/16	1681	24x48	610x1219	279	127
MQSEC56E-SL-2MQ	26 15/16	685	62 7/8	1597	66 3/16	1681	24x60	610x1524	291	132


MetroMax Stem Caster Mobile Units

• Pre-Configured Security Units come with (2) Intermediate Shelves

MetroMax Q (2) 5PCX (2) 5PCBX Casters Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
MQSEC55VE-SL-2MQ	27 13/16	707	52 3/4	1340	67 13/16	1723	24x48	610x1219	287	130
MQSEC56VE-SL-2MQ	27 13/16	707	64 3/4	1645	67 13/16	1723	24x60	610x1524	298	135

Sliding Door Retrofit Kits

- Easily convert a hinged door unit to a sliding door unit. Hardware included.
- Door kits recommended for 24" deep units only.
- Kit includes: sliding doors, set of polymer post brackets, top & bottom tracks, upper track cover, side panel clamps, and installation hardware. (Pad lock not included)



Super Erecta Sliding Door Retro Fit Kits

Cat. No.	Finish	Fits Units	Description
SEC55C-SLKIT	Chrome	48" long	SES-Sliding Door-Chrome-48 W Unit
SEC56C-SLKIT	Chrome	60" long	SES-Sliding Door-Chrome-60 W Unit
SEC55K3-SLKIT	Metroseal Green	48" long	SES-Sliding Door-Metroseal 3-48 W Unit
SEC56K3-SLKIT	Metroseal Green	60" long	SES-Sliding Door-Metroseal 3-60 W Unit
SEC55K4-SLKIT	Metroseal Gray	48" long	SES-Sliding Door-Metroseal 3-48 W Unit
SEC56K4-SLKIT	Metroseal Gray	60" long	SES-Sliding Door-Metroseal 3-60 W Unit
SEC55S-SLKIT	Stainless	48" long	SES-Sliding Door-Stainless-48 W Unit
SEC56S-SLKIT	Stainless	60" long	SES-Sliding Door-Stainles-60 W Unit

MetroMax Sliding Door Retro Fit Kits

Cat. No.	Finish	Fits Units	Description
MQSEC55-SLKIT	Taupe Epoxy	48" long unit	MAX-Sliding Door-MetroMaxQ-48 W Unit
MQSEC56-SLKIT	Taupe Epoxy	60" long unit	MAX-Sliding Door-MetroMaxQ-60 W Unit

Super Erecta® SlideSecure Units

Units DO NOT include intermediate shelves.
Intermediate shelves must be ordered separately.

Super Erecta Shelf Stationary Security

Chrome Cat. No.	Metroseal Green Cat. No.	Metroseal Gray Cat. No.	Stainless Steel Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
SEC55C-SL	**SEC55K3-SL**	**SEC55K4-SL**	**SEC55S-SL**	28 1/2	724	50 1/2	1295	66 13/16	1695	24x48	610x1219	176	80
SEC56C-SL	**SEC55K3-SL**	**SEC56K4-SL**	**SEC56S-SL**	28 1/2	724	62 1/2	1587	66 13/16	1695	24x60	610x1524	197	90

Super Erecta Shelf Mobile Security

Standard-Duty Stem Caster Models: feature 5" (127 mm) swivel casters. Please note model numbers for specific caster types.

Chrome (2) 5MP (2) 5MPB Casters Cat. No.	Metroseal Green (2) 5PC (2) 5PCB Casters Cat. No.	Metroseal Gray (2) 5PC (2) 5PCB Casters Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
SEC55EC-SL	**SEC55VK3-SL**	**SEC55VK4-SL**	28 1/2	724	52 3/4	1340	68 1/2	1740	24x48	610x1219	184	84
SEC56EC-SL	**SEC55VK3-SL**	**SEC56VK4-SL**	28 1/2	724	65	1651	68 1/2	1740	24x60	610x1524	205	93

Casters: 5MP and 5MPB (with locking brake) feature a polyurethane tread.
5PC and 5PCB (with locking brake) casters feature a polymer horn and resist rusting. They are recommended for high-moisture environments.

Stainless Steel: Casters must be ordered separately on "-SD" models.

Cat. No.	Description	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
SEC55S-SD-SL	**Standard Duty**	28 1/2	724	52 3/4	1340	62	1575	24x48	610x1219	176	80
SEC56S-SD-SL	**Standard Duty**	28 1/2	724	65	1651	62	1575	24x60	610x1524	197	90

Intermediate Shelves for Super Erecta Shelf Security Units

Chrome Cat. No.	Metroseal Green Cat. No.	Metroseal Gray Cat. No.	Super Erecta Pro Cat. No.	Stainless Steel Cat. No.	EZ-ADD Chrome Cat. No.	EZ-ADD Metroseal Green Cat. No.	Super Adjustable Chrome Cat. No.	Super Adjustable Metroseal Green Cat. No.	Super Adjustable Stainless Steel Cat. No.	Width/Length in.	Width/Length mm
2448NC	**2448NK3**	**2448NK4**	**PR2448NK3**	**2448NS**	**EZA-2448NC**	**EZA-2448NK3**	**A2448NC**	**A2448NK3**	**A2448NS**	24x48	610x1219
2460NC	**2460NK3**	**2460NK4**	**PR2460NK3**	**2460NS**	**EZA-2460NC**	**EZA-2460NK3**	**A2460NC**	**A2460NK3**	**A2460NS**	24x60	610x1524

MetroMax® Security Units

MetroMax Stationary Units

Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
MQSEC55E-SL	26 15/16	685	50 7/8	1292	66 3/16	1681	24x48	610x1219	158	72
MQSEC56E-SL	26 15/16	685	62 7/8	1597	66 3/16	1681	24x60	610x1524	163	74

Note: Leveling foot on post can be adjusted up to 1" (25mm) to compensate for uneven floors.

MetroMax® Stem Caster

Mobile Units

Cat. No.	Width in.	Width mm	Length in.	Length mm	Height in.	Height mm	Fits Shelf in.	Fits Shelf mm	Approx. Pkd. Wt. lbs.	Approx. Pkd. Wt. kg
MQSEC55VE-SL	27 13/16	707	52 3/4	1340	67 13/16	1723	24x48	610x1219	178	81
MQSEC56VE-SL	26 13/16	707	64 3/4	1645	67 13/16	1723	24x60	610x1524	181	82

Note: Caster units use two 5PCX and two 5PCBX casters.

Intermediate Shelves for MetroMax Security Units

Metro Max i Shelf w/ Grid Mat. Cat. No.	Metro Max 4 Shelf w/ Grid Mat. Cat. No.	Metro Max Q Shelf w/ Grid Mat. Cat. No.	Width in.	Width mm	Length in.	Length mm
MX2448G	**MAX4-2448G**	**MQ2448G**	24	610	48	1219
MX2460G	**MAX4-2460G**	**MQ2460G**	24	610	60	1524

Replacement Tri-Lobal Adapters for MetroMax Wire Security Shelves

Model No.

MTLA* - Four pair per bag
*Not compatible with MetroMax Q security units manufactured prior to May 2009. For older MetroMax Q security units, use MQ9985 wedges if replacements are needed for the wire shelves.



{14.02}

SlideSecure Security Units
Super Erecta® & MetroMax®

Adding SlideSecure to Top-Track

STEP 1 ***Refer to the following spec sheets for track shelving components:***

- Top-Track for Super Erecta **11.12**
- MetroMax Top-Track High Density Storage System **9.29**

Super Erecta

STEP 2 ***Choose one kit for each security unit.***

Super Erecta SlideSecure Kit

Includes end panels, back panels, sliding doors, and the rail kit.

Chrome Cat. No.	Metroseal Green Cat. No.	Metroseal Gray Cat. No.	Stainless Steel Cat. No.	Width in.	Width mm	Length in.	Length mm	Fits Shelf in.	Fits Shelf mm
SEC55-CTN1B-SL	SEC55K3-CTN1B-SL	SEC55K4-CTN1B-SL	SEC55S-CTN1B-SL	28½	724	50½	1295	24x48	610x1219
SEC56-CTN1B-SL	SEC56K3-CTN1B-SL	SEC56K4-CTN1B-SL	SEC56S-CTN1B-SL	28½	724	62½	1587	24x60	610x1524

STEP 3 ***Choose a minimum of 2 shelves for each security unit.***

Super Erecta Security Shelves

Each security unit must include at least three shelves: one for the top and bottom of the assembly, and an additional shelf above the cage to ensure proper stability in the Top-Track system. Additional intermediate shelves can be added.

Chrome Cat. No.	Metroseal Green Cat. No.	Metroseal Gray Cat. No.	Stainless Steel Cat. No.	Width in.	Width mm	Length in.	Length mm
2448NC	2448NK3	2448NK4	2448NS	24	610	48	1219
2460NC	2460NK3	2460NK4	2460NS	24	610	60	1524

OR

MetroMax

STEP 2 ***Choose one kit for each security unit.***

MetroMax SlideSecure Kit

Includes end panels, back panels, sliding doors, and the rail kit.

MetroMax Cat. No.	Width in.	Width mm	Length in.	Length mm	Fits Shelf in.	Fits Shelf mm
MQSEC55-CTN1B-SL	26 15/16	685	50⅞	1295	24x48	610x1219
MQSEC56-CTN1B-SL	26 15/16	685	62⅞	1587	24x60	610x1524

STEP 3 ***Choose 2 shelves for each security unit.***

MetroMax Security Shelves

These shelves are specific to the MetroMax security units and must be installed as the top and bottom assembly for proper mounting of the enclosure panels. An additional shelf must be ordered for above the cage to ensure proper stability in the Top-Track system. Intermediate shelves must be ordered separately.

MetroMax Cat. No.	Width in.	Width mm	Length in.	Length mm
RPMQSEC55-SHF	24	610	48	1219
RPMQSEC56-SHF	24	610	60	1524



STEP 4

Bumpers

Bumpers must be installed in top-track in the following scenarios:

- SlideSecure security end unit must use (1) upper track bumper set
- SlideSecure security mobile unit must use (1) bottom bumper set per mobile unit



SECSL-UPBMPRSET
Upper Track Bumper Set



SECSL-24BMPRSET
24" SS Bottom Bumper Set