




Powered by Menasha Corporation

# HD6248-34



Extended-length containers accommodate long and hard-to-fit components and parts. The BulkPak 6248 HDR Series accommodates long and hard-to-fit component parts. All containers are structural-foam molded in high-density polyethylene for durability and are available in side-loading Maximus styles. Unitized loads can be delivered directly to the assembly line for immediate part presentation, with no unwrapping or unbanding. Bulk containers collapse when empty for reduced return transportation costs and warehouse space savings. During storage and shipping, these bulk bins stack securely atop each other. Pallet boxes offer the strength and rugged durability demanded in today's material handling and distribution systems. Custom protective dunnage is available for all ORBIS BulkPak containers. These plastic containers are fully recyclable at the end of their service life. (All dimensions and specifications are approximate. Performance characteristics are based on uniform static loads and may be affected by the distribution of load, handling methods, number, type of access doors, and temperatures beyond the range of 0 to 120 degrees Fahrenheit.)



Can be made with  
Recycled Plastics



An Ocean in Mind  
Product

- 62 x 48 x 34 footprint
- Unique footprint optimizes a standard 53 trailer for greater freight efficiencies than competitive bulk bins
- Areas on all four sides for identification options
- Container capacity: 1500 lbs
- Choice of 0, 2 or 4 doors on 48" side
- Deck: Solid
- Sidewalls: Solid
- Base: All-plastic picture frame bottom with rounded legs for easy fork truck handling and reduced risk of "short forking"

- Popular applications: automotive, appliance, and transportation equipment

Outside Length In	62.5
Outside Width In	48.3
Outside Height In	34
Inside Length In	59.1
Inside Width In	44.9
Prod Clearance In	27.3
Collapsed Height In	12.8
Container Capacity Lb	1500
Weight Lb	213.6
Maximum Loaded Stack Static	4 High
Maximum Loaded Stack Dynamic	3 High
Return Ratio	2.6:1
Door Openings Long H In	16
Door Openings Long W In	45.4
Door Openings Short H In	16
Door Openings Short W In	29.4

Internal Volume Cu Ft	42.2
53ft Trailer Qty Assembled	60
53ft Trailer Qty Collapsed	160