

## T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.


**EC-3107-LN** 

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

valley, e. a. coc 120 c 100 T ax. co 1 co 10 T WW. coc 100 C		
ChekPoint™  ADA Compliant	This Space for Architect/Engineer Approval	
	Job Name	Date
	Model Specified	Quantity
	Customer/Wholesaler	
	Contractor	
<b>_</b> _	Architect/Engineer	





### Rough-In Requirement:

(2)  $\vec{\oslash}$  1" [25mm] Mounting Holes on 4" [102mm] Centers

#### **Product Specifications:**

Chrome Plated Brass Electronic Faucet: 4" c/c Deck Mount (Less Goosneck), AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: MRC Approved: JHB Date: 01/20/20 Scale: 1:6 Sheet: 1 of 2




# T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

**EC-3107-LN** 

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



\*Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min

- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec

- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

#### **Product Specifications:**

Chrome Plated Brass Electronic Faucet: 4" c/c Deck Mount (Less Goosneck), AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

Product Compliance:

Access Switches.

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Remove (4) Screws and Back Cover to

Drawn: DMH Checked: MRC Approved: JHB Date: 01/20/20 Scale: NTS Sheet: 2 of 2