CARTRIDGE, WEQ-10.3(1.67)5L

Height: 12.32" Width: 3.57" Depth: 3.57" (31.3cm) (9.1cm) (9.1cm)



- Consistent brewed coffee and tea from quality recipe water with reduced sediment and chlorine taste and odor up to 10,300 gallons
- Carbon block technology reduces dirt and particles as small as 5 Microns in size
- Perfect for beverage systems with a medium-sized brewer (up to 50 lbs. of coffee/ week)
- Equipment protection from reduced sediment particles that can clog equipment sprayheads
- Certified to NSF Standard 42 for reduction of Chlorine Taste and Odor
- Reduces maintenance and service costs by reducing scale formation and equipment corrosion by release of scale inhibitors

NOTE: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

Agency:



Specifications

Systems and other related parts are certified to NSF International NSF/ANSI Standard 42 and/or NSF International NSF/NANSI Standard 53 as marked.

Product #: 56000.0137 Cartridge Type: Sanitary Quick Connect

Application(s): Replacement Cartridge:

Filtration Type: Filter Change Frequency: Every 6 months

Capacity


Micron Rating	Service Flow Rate	Water Filter Capacity Chlorine Reduction	Water Filter Capacity Chloramine Reduction	Water Filter Capacity Softening	
5.0	1.7 gal/min (6.4 L/min)	10300 gal. (38989.0 L)	-	-	

Plumbing Requirements

	on Outlet Connection	Min Operating	Max Operating	Min Operating	Max Operating Temperature	
Inlet Connection		Pressure	Max Operating Pressure	Temperature		
1/4 IN	1/4 IN	20 psi (138 kPa)	125 psi (862 kPa)	40°F(4°C)	100°F(38°C)	

MARNING:





Dimensions of Filter System (filter head with filter cartridge)			Installed Dimensions (Installation with wall mounting)			Cartridge Dimensions (filter cartridge only)			
	Height	Width	Depth	Height	Width	Depth	Height	Width	Depth
English	-	-	-	-	-	-	12.32 in.	3.57 in.	3.57 in.
Metric	-	-	-	-	-	-	31.3 cm	9.1 cm	9.1 cm

Weight			Shipping				
	Dry	Wet	Height	Width	Depth	Weight	Volume
English	0.0 lbs	0.0 lbs	-	-	-	2.130 lbs	-
Metric	-	-	-	-	-	0.966 kgs	-

WARRANTY: BUNN High Performance Water Filtration Solutions Systems by BUNN® (excluding water filters and water treatment replacement cartridges) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase, under normal use and service, and when installed in accordance with manufacturer's recommendations outlined in the filtration systems owner's manual. BUNN replaceable elements (water treatment cartridges, filter elements, and feeder elements) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase or the remainder of the original warranty, whichever is longer. See printed warranty for full details. BUNN will provide a copy of the warranty upon request.



Related Products & Accessories: CARTRIDGE, WEQ-10.3(1.67)5L(56000.0137)





Model Compatibility: CARTRIDGE, WEQ-10.3(1.67)5L(56000.0137) *Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.*

