XL Hand Brush, 9.1" Extra stiff, Green







A favorite of the meat and dairy industries, our updated XL Hand Brush makes a big impact thanks to its size and stiff bristles. When you need to clean bigger surface areas with hard-to-reach corners or crevices, this large scrub brush may be the tool you need.

This sturdy brush is made of a solid block. The "butterfly" shape of the block has been designed to give users a better, more ergonomically friendly grip. The brush sits flush against most users' hands, making it comfortable and easy to hold even while dealing with cleaning chemicals and wet or greasy hands.

Like all brushes in our Hygiene range, the Vikan XL Hand Brush is designed to be used in areas where cleanliness and sanitation matter most, making it ideal for the food processing industry. The smooth surface finish, lack of sharp angles, and sloped drainable hanging hole all make it easy to clean and store.

Whether you're cleaning tanks, tables, conveyor belts, or buckets, the XL Hand Brush with Very Stiff Bristles can help you get the job done quickly and effectively.

Technical Data

Bristle stiffness Extra stiff Visible bristle length 1.5° Material Polypropylene Polyvester (PBT) Stainless Steel (PBT) Stainless Stai	Item Number	38942
Material Polypropylene Polyester (PBT) Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Complies with EU Regulation 2023/2006/EC of Good Aunufacturing Practice Complies with FDA Regulation (ER 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity Per Layer (Pallet) 80 Pcs. Box Length 80 Pcs. Box Length 11.1° Box Height 6.5° Length 9.1° Width 4.3° Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterillisation temperature (Autoclave) 249.8° F Max usage temperature (food contact) 176° F Max usage temperature (food contact) 121° F Max usage temperature (non food contact) 212° F Max usage temperature (food contact) 121° F Max usage temperature (food contact) 121° F	Bristle stiffness	Extra stiff
Complies with (EC) 1935/2004 on food contact materials¹ Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation I CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity Box Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Box Height Sox	Visible bristle length	1.5 "
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice Complies with FDA Regulation CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 7.7 " Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.060 lbs Gross Weight Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Max usage temperature (non food contact) 122 °F	Material	(PBT) Stainless Steel
Manufacturing Practice Complies with FDA RegulationI CFR 21¹ Yes Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Complies with Halal and Kosher PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Box Length Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 7.7" Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight Cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Mid ves Complies with Lalation 1 1976 pers Complies with Lalation (EC) No. 1907/2006 Yes Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Lalation food contact) Yes Complies with California Proposition 65 Yes Complies with UK 2019 No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 65 Yes Complies with UK 2019/2006 Yes Complies with California Proposition 65 Yes Complies with California Proposition 60 No Customal Pro	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.05 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact)	·	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 116 "F Max usage temperature (non food contact) 212 "F	Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with California Proposition 65 Yes Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F	Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with Halal and Kosher Yes PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (non food contact) 212 °F	Meets the REACH Regulation (EC) No. 1907/2006	Yes
PFAS, Phthalates and BPA intentionally added No Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight weight Squeeting Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (non food contact) 716 °F Max usage temperature (non food contact) 212 °F	Complies with California Proposition 65	Yes
Design Registration No. US D29/878021, EU 015037869-0001, GB 6293887 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.8377 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F	Complies with Halal and Kosher	Yes
Box Quantity	PFAS, Phthalates and BPA intentionally added	No
Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 176 "F Max usage temperature (non food contact) 212 "F	Design Registration No.	015037869-0001, GB
Quantity Per Layer (Pallet)80 Pcs.Box Length14.9 "Box Width11.1 "Box Height6.5 "Length9.1 "Width4.3 "Height2.7 "Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTare Total0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)176 °F	Box Quantity	10 Pcs.
Box Length 14.9 " Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs.
Box Width 11.1 " Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7 " Net Weight 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Quantity Per Layer (Pallet)	80 Pcs.
Box Height 6.5 " Length 9.1 " Width 4.3 " Height 2.7" Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Length	14.9 "
Length 9.1 " Width 4.3 " Height 2.7" Net Weight 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Width	11.1 "
Width 4.3 " Height 2.7 " Net Weight 0.7782 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.05 lbs Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Box Height	6.5 "
Height2.7 "Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTare Total0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Length	9.1 "
Net Weight0.7782 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsWeight cardboard (Recycling symbol "20" PAP)0.05 lbsTare Total0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Width	4.3 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) Tare Total Gross Weight Cubic Feet Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Max usage temperature (non food contact)	Height	2.7 "
Weight cardboard (Recycling symbol "20" PAP)0.05 lbsTare Total0.06 lbsGross Weight0.8377 lbsCubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Net Weight	0.7782 lbs
Tare Total 0.06 lbs Gross Weight 0.8377 lbs Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F		0.01 lbs
Gross Weight Cubic Feet 0.0608 ft3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Weight cardboard (Recycling symbol "20" PAP)	0.05 lbs
Cubic Feet0.0608 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Tare Total	0.06 lbs
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 212 °F	Gross Weight	0.8377 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)212 °F	Cubic Feet	0.0608 ft3
Max usage temperature (food contact) Max usage temperature (non food contact) 212 °F	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact) 212 °F	Max. cleaning temperature (Dishwasher)	199.4 °F
	Max usage temperature (food contact)	176 °F
Min. usage temperature -4 °F	Max usage temperature (non food contact)	212 °F
	Min. usage temperature	-4 °F

Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022039698
GTIN-14 Number (Box quantity)	15705028039705
Customs Tariff No.	96039099
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.