

## Superior suction power for high-frequency cleaning and large container volume

ATTIX 50 combines high Wet&Dry performance with big container capacity - the ideal solution for demanding customers with high frequency cleaning. The improved ergonomic design ensures functional and user-friendly operation - all in all an efficient and reliable solution.

ATTIX 50 will solve all major tasks in your company, workshop, garage, production etc. The Push&Clean or XtremeClean offers an impressive cleaning performance and keeps the suction performance constantly high. The design offers you cable storage, accessory storage and a big tool deposit to keep all you need at hand. The larger size of the ATTIX 50 allows you to work longer without emptying the container, and with the wide range of available models, it's difficult to imagine that you won't find a perfect match for your wet and dry vacuum cleaning tasks.

Operating costs are minimized with the washable PET fleece filter elements, and the low working noise level lets you work when others are nearby, without disturbing them.

The -21 models are equipped with a convenience socket so no need for an extra extension cable, just plug your tool into the vacuum cleaner.




Automatic On/Off (-21) models are the choice of people who use the vacuum cleaner with electric hand tools because starting or stopping the tool starts and stops the vacuum, as well. An optional Airbox is available which performs with the same function when using pneumatic tools.



Picture shown may not represent model quoted






- Low working sound level - SilentPower - high performance that is seen, but not heard
- MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- Accessory storage and tool deposit
- AntiStatic System

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
<b>Filter</b>						
	FILTER PET FLEECE M-CLASS D185X140	302000490	1		•	•
<b>System 32 Hose Vacuum Cleaner</b>						
	AS HOSED32X4000MM WITH TOOL	30657	1			•
<b>System 36 Hose Vacuum Cleaner</b>						
	UNI. HOSE Ø36X3000MM EVA	15805	1		•	•
<b>System 36 Tube</b>						
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1		•	•
<b>System 36 Brush/Universal Nozzle</b>						



## Superior suction power for high-frequency cleaning and large container volume

Included accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	BRUSH NOZZLE Ø36X230	6086	1		•	•
	UNIVERSAL NOZZLE D36X115	14295	1		•	•
<b>System 36 Vac Floor Nozzle</b>						
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0		•	•
<b>System 36 Crevice/Cone Nozzle</b>						
	CREVICE NOZZLE D36X200	29541	1		•	•
<b>Exhaust Air Collector</b>						
	EXHAUST AIR COLLECTOR	302003717	1			

Model	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
Ref. no.	107400411	302004233	302004234

## PRODUCT FEATURES







Softstart	•	•	•
Anti-static system	•	•	•
Motor speed control	•	•	•
Automatic on/off-elec. tools	•	•	•
Brushless longlife 1-ph.motor	•	•	•
Storage of accessories	•	•	•
Hepa upstream filtration		•	•
Extra socket for tool	•	•	•
Disposal bag 1 pcs		•	•
Fleece filter bag 1 pcs	•	•	•



## Superior suction power for high-frequency cleaning and large container volume

Technical specifications	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
Power pmax (W)	1400	1500	1500
Power piec (W)	1100	1200	1200
Mains connection (V/~ /HZ/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Air flow rate (L/M)	3200	3700	3700
Vacuum (MBAR/KPA)	230/23	250/25	250/25
Working sound level (DB-A)	60	59	59
EI cable (M)	7.5	7.5	7.5
Container volume (L-MAX)	47	47	47
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Main filter type	PET	PET	PET
Length x width x height (MM)	450x380x750	450x380x750	450x380x750
Weight (KG)	11	11	11

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment






Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
<b>System 36 Brush/Universal Nozzle</b>					
 BRUSH NOZZLE Ø36X70	5146	1		○	○
 BRUSH NOZZLE Ø36X230	6086	1		●	●
 OVAL BRUSH NOZZLE Ø36MM	40455	1		○	○
 RADIATOR BRUSH NOZZLE Ø36X420	5144	1		○	○
 SUCTION BRUSH D36 BLACK	302002509	1		○	○
 UNIV NOZZLE Ø36X150 ALU	5145	1		○	○



## Superior suction power for high-frequency cleaning and large container volume

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	UNIVERSAL NOZZLE D36X115	14295	1		•	•
<b>Special Filter</b>						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	○		
	FILTER PROTECTIVE COVER Ø185X200	11801	1		○	○
	MOTOR COOLING FILTER KIT	302003721	1		○	○
	WET FILTER SIEVE Ø143X140MM SS	15475	1		○	○
<b>System 50 Vac Floor Nozzle</b>						
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1		○	○
<b>Filter</b>						
	FILTER ELEMENT Ø185X140 HEPA H14	302001095	1		○	○
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1		○	○
	FILTER PET FLEECE M-CLASS D185X140	302000490	1		•	•
	FLAT FILTER H-CLASS SET 2 PCS	107400449	1		○	○
	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1		○	○


## Superior suction power for high-frequency cleaning and large container volume

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
<b>Tools</b>						
	CHIP SET D50MM	61681	1		○	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1		○	○
	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1		○	○
	INDUSTRIAL SET 38	302002881	1	○		
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1		○	○
	STANDARD VAC SET Ø50MM 3-PCS	6085	1		○	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○		
<b>System 50 Hose Vacuum Cleaner</b>						
	CHIPS HOSE Ø50X4000MM	15182	1		○	○
	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1		○	○
<b>System 36 Vac Floor Nozzle</b>						
	COMBI NOZZLE Ø36X260MM	302002365	1	○		
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0		●	●







## Superior suction power for high-frequency cleaning and large container volume

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	1	○		
	FLOOR NOZZLE D36X400MM W/D	302003666	1		○	○
	FLOOR NOZZLE Ø36X300MM	302002331	1		○	○
	FLOOR NOZZLE Ø36X330 ALU	5147	1		○	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1		○	○
	NOZZLE ALU. 450XØ36MM DRY	15348	1		○	○
	NOZZLE ALU. 450XØ36MM WET	15349	1		○	○
	WATER SUCTION NOZZLE Ø36X300	7270	1		○	○
<b>System 50 Tube</b>						
	ADAPTER Ø 58-36 mmx124 mm	40452	1	○		
	CURVED ALU EXT.TUBE D50X1000	15335	1		○	○
	SUCTION TUBE 2PCS Ø50 525MM PVC	5152	1	○		
<b>System 36 Crevice/Cone Nozzle</b>						

## Superior suction power for high-frequency cleaning and large container volume










Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	CREVICE NOZZLE D36X200	29541	1		•	•
	CREVICE NOZZLE Ø36X300 PP	6084	1		○	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1		○	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	1		○	○
	FLAT NOZZLE Ø36MM RUBBER	40456	1		○	○
<b>System 36 Tube</b>						
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1		○	○
	CURVED HAND TUBE Ø36MM SS	46691	1		○	○
	EXTENSION TUBE D36 2X500MM ALU	107400032	1		○	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1		•	•
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1		○	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0		○	○

## Superior suction power for high-frequency cleaning and large container volume











Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1		○	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1		○	○
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1		○	○
	TOOL ADAPTER D27/35/38	60916	1		○	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1		○	○
<b>Sack Filter</b>						
	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1		○	○
<b>System 27 Hose Vacuum Cleaner</b>						
	HOSE D27X3500 AS WITH TOOL ADAPTER LDPE	107406091	1		○	○
	TOOL ADAPTER D27/36-24 AS	107404520	1	○		
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1		○	○
<b>System 38 Hose Vacuum Cleaner</b>						
	HOSE HEAT RES. 36X4000 FOR	6070	1	○		
	UNIV HOSE Ø36-38X4000MM EVA	15365	1		○	○



## Superior suction power for high-frequency cleaning and large container volume

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
<b>System 32 Hose Vacuum Cleaner</b>						
	AS HOSED32X4000MM WITH TOOL	30657	1		○	●
	HOSE Ø32X4000MM AS RED	107413543	0		○	○
<b>Filter Bag</b>						
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1		○	○
	FLEECE FILTER BAG 5 PCS ATTIX 40/50	107419592	0	○		
<b>Exhaust Air Collector</b>						
	EXHAUST AIR COLLECTOR	302003717	1	○		
<b>System 50 Brush/Universal Nozzle</b>						
	COARSE DIRT NOZZLE Ø50X175 PP	5153	1		○	○
	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1		○	○
	ROUND BRUSH NOZZLE INNER DIA Ø58MM	40458	1		○	○
<b>System 38 Crevice/Cone Nozzle</b>						
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	○		
<b>Disposal Bag</b>						
	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1		○	○
<b>System 50 Crevice/Cone Nozzle</b>						

## Superior suction power for high-frequency cleaning and large container volume

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-01 PC 120V 60HZ US	ATTIX 50-21 PC 120V 60HZ US
	CREVICE NOZZLE Ø58,6X370 PE	7102	1		○	○
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1		○	○
<b>System 38 Tube</b>						
	CURVED HAND TUBE D38 MM SS	302002889	1	○		
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	○		
	EXTENSION TUBES R38 2X500 KIT	107402474	1	○		
<b>System 36 Hose Vacuum Cleaner</b>						
	HOSE Ø36X4000 MM AS RED	107413544	0	○		
	UNI. HOSE Ø36X3000MM EVA	15805	1		●	●
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1		○	○
	UNIV HOSE WITH HAND TUBE D32X3500 PE	107409976	1	○		
<b>System 27 Brush/Universal Nozzle</b>						
	CURRY COMB Ø27MM	6092	1	○		