

70412

Deck Scrub, waterfed, 10.6", Extra stiff, Green



Easily clean heavily soiled areas such as abattoirs and meat processing plants with this rugged waterfed Deck Scrub, featuring highly-effective water distribution.

Technical Data

Item Number	70412
Visible bristle length	0.9 "
Material	Polypropylene Polyester Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Design Registration No.	EU 008554125-0005, UK 6139375
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Length	10.6 "
Width	3 "
Height	3.7 "
Net Weight	0.8598 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.05 lbs
Tare Total	0.07 lbs
Gross Weight	0.9275 lbs
Cubic Feet	0.068 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Max. drying temperature	212 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020704123
GTIN-14 Number (Box quantity)	15705020704120

Customs Tariff No.

96039099

Country of Origin

Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.