TURBO LIQUIDISER TRX-22

2-speed turbo-mixer



SALES DESCRIPTION

Turbo-blender designed to work in up to 800 litre / 130 gal. bowls.



- √ Fully manufactured in stainless steel 18/10
- √ For mixing and liquidising directly in the pot or pan for making consommés, soups, omelettes, mayonnaise, etc.
- √ Designed for large yields and for frequent use and cleaning, ideal for kitchens with a large production and the food industry.
- √ 2-speed model.
- ✓ Ease of use: can be moved in several directions, adjustable height, fitted on a trolley with 4 non-slip rubber wheels, 2 of them with brakes.
- ✓ Arm: 600 mm long for blending in any type of cooking pot, whether round or rectangular, equally effective throughout the whole pot.
- Balanced liquidiser arm: stops the arm falling or tipping back when not locked.
- ✓ Arm securing lever: allows you to lock the blender with one hand while holding the trolley with the other.
- √ Watertight, tilted control panel: easy access even during
- Control panel located on the trolley, making the arm more agile, with better mobility.
- √ Control panel with built-in timer: you can leave the machine running for up to 60 minutes without the need for user involvement.
- √ Wiring incorporated into the trolley tubes: The work area is free of cables, so as not to hinder the movement of the blender arm.
- ✓ Supports for storing the power supply cable: prevents the cable getting tangled and inconveniencing other users.
- √ The turbine, disc and grille are very easy to remove for cleaning: no tools needed.
- √ The turbine, guard, disc and attachment can be cleaned in dishwashers.
- √ For use with 3 easily interchangeable attachments, which meet the needs of all users and ingredients.
- √ 21D for fibrous ingredients

NCLUDES

- √ Standard 30D multi-use attachment
- √ 42D attachment for very fine blending
- ✓ Safety microswitch to control the work position: prevents the turbine working if the arm is too high or low.
- ✓ Safety guard on the liquidiser head and safety device that cuts out the power supply.









Sammic | www.sammic.us **Food Service Equiment Manufacturer**

usa@sammic.com 1225 Hartrey Avenue 60202-1056 Evanston, IL phone +1 (224) 307-2232 toll free +1 844 275 3848



| • | Project | Date |
|---|----------|------|
| | Item | Qty |
| | Approved | |

FOOD PREPARATION EQUIPMENT

TURBO LIQUIDISER TRX-22

2-speed turbo-mixer

SPECIFICATIONS

Maximum recipient capacity: 800 l / 130 gal.

Liquidising arm length: 24 "

Total loading: 3 Hp

Speed (in liquid): 1500 rpm

Electrical supply: 220V / 60 Hz / 3~ (9.7A)

External dimensions (WxDxH)

√ Width: 22 "

√ Depth: 65 " (37 ")

✓ Height: 48 " (65 ")

Net weight: 212 lbs.

AVAILABLE MODELS

3030507 Turbo liquidiser TRX-22 220/60/3

9500122 TRX-22 1.500/750rpm - 220V / 60 Hz / 3 (with one grid)

* Ask for special versions availability

ACCESSORIES

☐ Grids for TRX



usa@sammic.com 1225 Hartrey Avenue 60202-1056 Evanston, IL phone +1 (224) 307-2232 toll free +1 844 275 3848



| Project | Date |
|---------|------|
| Item | Qty |