

77156

# Hygienic Floor Squeegee w/replacement cassette, 27.6", Yellow



Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7735 for replacement blades).

# Technical Data

|                                                                                 |                                                                   |
|---------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Item Number                                                                     | 77156                                                             |
| Material                                                                        | Polypropylene<br>TPE Rubber                                       |
| Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>             | Yes                                                               |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice | Yes                                                               |
| FDA-compliant raw material (CFR 21)                                             | Yes                                                               |
| Complies with UK 2019 No. 704 on food contact materials                         | Yes                                                               |
| Meets the REACH Regulation (EC) No. 1907/2006                                   | Yes                                                               |
| Use of phthalates and bisphenol A                                               | No                                                                |
| Is Halal and Kosher compliant                                                   | Yes                                                               |
| Pat. Pending/Patent No.                                                         | EP2227129 validated in<br>DK, DE, FR and GB. DE<br>602008048400.9 |
| Box Quantity                                                                    | 10 Pcs.                                                           |
| Quantity per Pallet (80 x 120 x 180-200 cm)                                     | 320 Pcs.                                                          |
| Quantity Per Layer (Pallet)                                                     | 40 Pcs.                                                           |
| Length                                                                          | 27.6 "                                                            |
| Width                                                                           | 3.1 "                                                             |
| Height                                                                          | 4.3 "                                                             |
| Net Weight                                                                      | 0.8818 lbs                                                        |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))               | 0.02 lbs                                                          |
| Weight cardboard (Recycling symbol "20" PAP)                                    | 0.11 lbs                                                          |
| Tare Total                                                                      | 0.13 lbs                                                          |
| Gross Weight                                                                    | 1.0148 lbs                                                        |
| Cubic Feet                                                                      | 0.2177 ft3                                                        |
| Recommended sterilisation temperature (Autoclave)                               | 249.8 °F                                                          |
| Max. cleaning temperature (Dishwasher)                                          | 199.4 °F                                                          |
| Max usage temperature (food contact)                                            | 122 °F                                                            |
| Max usage temperature (non food contact)                                        | 212 °F                                                            |
| Min. usage temperature                                                          | -4 °F                                                             |
| Max. drying temperature                                                         | 248 °F                                                            |
| Min. pH-value in usage concentration                                            | 2 pH                                                              |
| Max. pH-value in Usage Concentration                                            | 10.5 pH                                                           |
| GTIN-13 Number                                                                  | 5705020771569                                                     |
| GTIN-14 Number (Box quantity)                                                   | 15705020771566                                                    |
| Customs Tariff No.                                                              | 96039099                                                          |
| Country of Origin                                                               | Denmark                                                           |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.