

93242

Heavy Duty Water Gun, Green



The Heavy Duty Water Gun is suitable for cleaning floors and machinery, and for rinsing off work surfaces and walls after chemical foaming. Determine the jet pattern by squeezing the rubber insulated trigger. Adjust the water jet with a screw at the end of the gun. An arrow on the gun shows the water spray direction. Use 0712 1/2" or 0715 3/4" hose nipples, which can be screwed into the bottom of the gun. You need one of these nipples to connect a hose to the gun.

Technical Data

Item Number	93242
Material	Brass EPDM rubber Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials ¹	No
FDA-compliant raw material (CFR 21)	Yes ***
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
California Proposition 65 Compliant	No
SCIP number	a81ebdf3-2805-4c2b-8bd3-8bfcf3b99656
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	1 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	540 Pcs.
Quantity Per Layer (Pallet)	1 Pcs.
Length	5.7 "
Width	2.2 "
Height	6.7 "
Net Weight	1.8739 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.11 lbs
Tare Total	0.11 lbs
Gross Weight	1.9841 lbs
Cubic Feet	0.0479 ft3
Max. cleaning temperature (Dishwasher)	199.4 °F
Max usage temperature (non food contact)	203 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	11 pH
Min. Bars pressure	2 Bar
Max. bars pressure	24 Bar
GTIN-13 Number	5705020932427
Customs Tariff No.	84242000
Country of Origin	China

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

*** The product is suitable for use with water only and not for direct food contact.