



www.AvantcoRefrigeration.com

PROJECT: _____

MODEL: _____

ITEM #: _____ QUANTITY: _____

APPROVAL: _____ DATE: _____

SSPT Series Salad/Sandwich Prep Table

MEGA TOP

MODEL #178SSPT48MHC

SSPT SERIES - SANDWICH & SALAD PREP

Ample prep space to create subs, salads, and sandwiches with convenient cold ingredient storage

CABINET CONSTRUCTION

Heavy duty construction includes 430 type stainless steel exterior with a 304 type stainless steel interior and an overall 35¼" working height.

Foamed-in-place CFC- and HCFC-free polyurethane insulation enhances the structural strength of the cabinet and helps increase energy efficiency. Insulated lid helps maintain safe product temperatures.

Full length, 8" deep cutting board for easy prep work.

Easy-to-use recessed full-length stainless steel handles. Door stays open past 90° for easy loading, but will self-close under 90° to save energy.

REFRIGERATION SYSTEM

Environmentally safe R290 refrigerant. Rear-mounted condensing unit positioned for easy maintenance.

SHELVING

2 epoxy-coated wire shelves accommodate up to 90 lb. each.

MODEL FEATURES

Preprogrammed digital controller features auto-defrost function.

Top pan rail holds up to (18) 1/6 size, 6" deep food pans. Pan rail is air cooled from the bottom.

SPECIAL FEATURES

- Eco-friendly R290 hydrocarbon refrigerant
- Top holds up to (18) 1/6 size, 6" deep food pans (sold separately)
- Full length, 3/4" thick, 8" deep cutting board for easy prep work
- Insulated lid helps maintain safe product temperatures
- Double self-closing swing doors with recessed full-length stainless steel handles
- 2 epoxy coated wire shelves
- 430 type stainless steel exterior and 304 type stainless steel interior
- Digital temperature controls hold at 33-40°F
- 115V, 1/4 hp
- Pan rail is air cooled from the bottom



WARRANTY

RESIDENTIAL: Avantco assumes no liability for parts or labor coverage for component failure, factory defect or any other damages for units installed in non-commercial foodservice or residential applications.



10/2020



SSPT Series

Salad/Sandwich Prep Table

MEGA TOP

MODEL #178SSPT48MHC



www.AvantcoRefrigeration.com

TECHNICAL DATA

Dimensions

Exterior Dimensions	46 $\frac{3}{4}$ "W x 35"D x 45 $\frac{7}{8}$ "H
Interior Dimensions	42 $\frac{7}{8}$ "W x 23 $\frac{3}{4}$ "D x 23 $\frac{1}{2}$ "H
Working Height	35 $\frac{1}{4}$ "
Overall Height (Lid Open)	51 $\frac{3}{4}$ "
Net Volume	12 cu. ft.
Net Weight	319 lb.
Gross Weight	374 lb.
Packaging Dimensions	51"W x 39 $\frac{1}{4}$ "D x 49"H

Cooling

Temperature Range	33°F - 40°F
Refrigerant	R290
Max. Ambient Temperature	90°F
Defrosting	Automatic
Temperature Controller	Digital
Horsepower	1/4



Construction

Exterior Material	Type 430 Stainless Steel
Interior Material	Type 304 Stainless Steel
Insulation Material	Foamed-in -place polyurethane
Shelf Size	(2) 20 $\frac{3}{4}$ " x 17 $\frac{1}{16}$ "
Shelf Material	Epoxy-coated steel
Shelf Load Capacity	90 lb.

Electrical

Voltage	115
Amps	7.8
Hz	60
Phase	1
Plug Type	NEMA 5-15P
Electrical Cord Length	84"

PLAN VIEW



NEMA 5-15P

Item #: 180MW1000D

SOLWAVE

Commercial Microwave

with dial timer & stainless steel cavity

120V 1000W



Features


- 6 minute dial timer with easy to read LED indicators to ensure accuracy
- Interior oven light
- Stainless steel exterior provides a sleek appearance
- Deep stainless steel interior gives this microwave a clean look
- 4 legs provide a 1 $\frac{3}{4}$ " clearance from the countertop
- See-through door and lighted interior allows the user to monitor cooking
- 6 month replacement warranty

Dimensions


Capacity	.9 cu. ft.
Unit Dimensions	20"W x 12"H x 18.5"D
Oven Cavity Dimensions	13"W x 8"H x 13.25"D
Shipping Weight	39 lbs.
Product Weight	34 lbs.

Electrical


Voltage	120V
Hz	60 Hz
Phase	Single
Wattage	1000W
Usage Level	Light Duty




BACK



FRONT



SIDE



NEMA 5-15P

Item #: 184T140 Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco T140 Commercial 10" Wide Conveyor Toaster with 3" Opening - 120V, 1750W - 300 Slices per Hour

Item #184T140



Technical Data

Width	14 1/2 Inches
Depth	17 Inches
Height	16 1/2 Inches
Conveyor Width	10 Inches
Depth (with pass-through)	30 Inches
Feeder Opening Height	3 Inches
Amps	14.6 Amps
Hertz	60 Hertz
Phase	1 Phase
Voltage	120 Volts

Features

- Toasts up to 300 slices of bread or bagels per hour; fits two slices side-by-side on 10" wide belt
- 3" opening for a variety of breads, bagels, and muffins; front product guide helps load food safely
- Fully adjustable conveyor speed and 4-setting heat control to achieve the perfect toast
- Standby mode reduces power for slow-periods while reducing preheat time at high-service periods
- 120V, 1750W

Certifications



5-15P



ETL Sanitation




ETL US

Technical Data

Wattage	1750 Watts
Control Type	Infinite
Features	Pass-Through
Heating Source	Radiant
Installation Type	Countertop
Plug Type	NEMA 5-15P
Power Type	Electric
Slices Per Hour	300 Slices
Style	Horizontal
Temperature Settings	Adjustable
Type	Conveyor Toasters
Usage	Standard Volume

Plan View



Notes & Details

Let the irresistible aroma of warm, golden brown, toasted bread and bagels tempt customers at your cafe, coffee shop, hotel, or breakfast buffet with the Avantco T140 conveyor toaster! This conveyor toaster can toast up to 300 slices of bread or bagel halves per hour, letting you keep up with your busiest hours throughout the day. Its 10" wide conveyor belt and 3" slot accommodates large quantities of your most popular foods, and the different conveyor speeds let you toast different items to perfection.

For versatility, this toaster can dispense product from the front or back on the included chutes. Its stainless steel exterior provides long-lasting durability, while a pull-out crumb tray makes it easy to clean. And thanks to its energy-saving standby mode, you can conserve energy when this toaster isn't in use. The toaster requires a 120V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

PROJECT: _____

MODEL: _____

ITEM #: _____ QUANTITY: _____

APPROVAL: _____ DATE: _____

SERVITE HOLD IT
HEAT IT
MOVE IT

PRODUCT SPEC SHEET

Medium-Duty High Wattage Single **STRIP WARMERS**

ON/OFF TOGGLE CONTROLS, WITH CORD AND PLUG



Item #423SWT18 Pictured



Items

#423SWT (/18/24/30/36/42/48/54/60/72) CP
18", 24", 30", 36", 42", 48", 54", 60", 72" with Cord and Plug

Features

- Built-in toggle controls for simple on/off operation to hold food at a safe serving temperature after plating
- Metal sheathed calrod element heats foods to consistent serving temperatures without drying out
- Heavy-duty stainless steel construction is strong; includes brackets for easy installation
- Aluminum reflector retains and precisely directs heat to keep food hot and other surfaces cool
- High wattage, built-in cord and plug for easy startup; 120V

Parts & Accessories **SERVITE**

#423PSWCHAIN

Strip Warmer Support Chains

#423PSWCORD15

Strip Warmer Cord and Plug Set

#423SWCLEGS

"C" Style Designer Legs for Strip Warmers

#423SWLEGS

Adjustable T-Legs for Strip Warmers

Hassle-Free Warranty

ServIt Equipment warrants its Strip Warmers from manufacturer defect and workmanship for a period of **2 Years** from the original date of purchase. See manual for full details.

Certifications & Markings




Intertek

NEMA 5-15P

PRODUCT SPECIFICATIONS

Item #	Dimensions	Type	Control	Voltage	Wattage	Electrical
423SWT18CP	18"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	350W	Cord & Plug
423SWT24CP	24"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	500W	Cord & Plug
423SWT30CP	30"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	650W	Cord & Plug
423SWT36CP	36"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	850W	Cord & Plug
423SWT42CP	42"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	1050W	Cord & Plug
423SWT48CP	48"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	1200W	Cord & Plug
423SWT54CP	54"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	1425W	Cord & Plug
423SWT60CP	60"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	1550W	Cord & Plug
423SWT72CP	72"W x 6⅞"D x 2⅝"H	Single	Toggle	120V	1725W	Cord & Plug

TECHNICAL DATA



18-GAUGE STAINLESS STEEL DISH CABINETS WITH ADJUSTABLE MIDSHELF

ITEM #: _____ QUANTITY: _____

PROJECT: _____

APPROVAL: _____

DATE: _____



REGENCY
Tables and Sinks

FEATURES

- 18-gauge 304-series stainless steel top
- Includes an adjustable/removable stainless steel midshelf with a unique locking bracket to prevent bumps or spills
- Bullet style feet are adjustable to ensure cabinet is level
- Open style design allows for quick and easy access
- Shallow width requires minimal floor space

SPECIFICATIONS



ITEM	LENGTH	WIDTH	WORK HEIGHT	MIDSHELF DIMENSIONS	TOP CAPACITY	MIDSHELF CAPACITY	UNDERSHELF CAPACITY	WEIGHT
600DC1536	36"	15"	36"	34½" x 14 ³ / ₁₆ "	350 lb.	180 lb.	330 lb.	70 lb.
600DC1548	48"	15"	36"	46½" x 14 ³ / ₁₆ "	370 lb.	190 lb.	350 lb.	83 lb.
600DC1560	60"	15"	36"	58½" x 14 ³ / ₁₆ "	390 lb.	200 lb.	370 lb.	97 lb.
600DC1572	72"	15"	36"	70½" x 14 ³ / ₁₆ "	410 lb.	210 lb.	390 lb.	110 lb.
600DC1596	96"	15"	36"	94½" x 14 ³ / ₁₆ "	520 lb.	230 lb.	430 lb.	139 lb.
600DC1836	36"	18"	36"	34½" x 17 ³ / ₁₆ "	380 lb.	195 lb.	350 lb.	78 lb.
600DC1848	48"	18"	36"	46½" x 17 ³ / ₁₆ "	400 lb.	205 lb.	370 lb.	93 lb.
600DC1860	60"	18"	36"	58½" x 17 ³ / ₁₆ "	420 lb.	215 lb.	390 lb.	107 lb.
600DC1872	72"	18"	36"	70½" x 17 ³ / ₁₆ "	440 lb.	225 lb.	410 lb.	122 lb.
600DC1896	96"	18"	36"	94½" x 17 ³ / ₁₆ "	560 lb.	245 lb.	450 lb.	154 lb.

NOTE: 96" Cabinets Feature (6) Six Legs for Added Stability


1/2020

REGENCYTABLESANDSINKS.COM


18-GAUGE STAINLESS STEEL
DISH CABINETS
WITH ADJUSTABLE MIDSHELF

REGENCY
Tables and Sinks


TOP
LENGTH



FRONT



SIDE



STAINLESS STEEL DOUBLE DECK OVERSHELVES

ITEM #: _____ QUANTITY: _____

PROJECT: _____

APPROVAL: _____

DATE: _____



REGENCY
Tables and Sinks

FEATURES

- Made of 18-gauge, type 430 stainless steel
- Strong and durable construction
- Designed for added storage space and organization

SPECIFICATIONS

NSF

ITEM	GAUGE	LENGTH	DEPTH	HEIGHT	UNDER SHELF CAPACITY	TOP SHELF CAPACITY
600DOS1230	18-Gauge	30"	12"	32"	220 LB.	350 LB.
600DOS1236	18-Gauge	36"	12"	32"	220 LB.	350 LB.
600DOS1248	18-Gauge	48"	12"	32"	240 LB.	380 LB.
600DOS1260	18-Gauge	60"	12"	32"	260 LB.	400 LB.
600DOS1272	18-Gauge	72"	12"	32"	280 LB.	420 LB.
600DOS1284	18-Gauge	84"	12"	32"	330 LB.	520 LB.
600DOS1296	18-Gauge	96"	12"	32"	350 LB.	540 LB.
600DOS1830	18-Gauge	30"	18"	32"	260 LB.	500 LB.
600DOS1836	18-Gauge	36"	18"	32"	260 LB.	500 LB.
600DOS1848	18-Gauge	48"	18"	32"	280 lb.	550 LB.
600DOS1860	18-Gauge	60"	18"	32"	300 LB.	580 LB.
600DOS1872	18-Gauge	72"	18"	32"	320 LB.	610 LB.
600DOS1884	18-Gauge	84"	18"	32"	370 LB.	750 LB.
600DOS1896	18-Gauge	96"	18"	32"	390 LB.	780 LB.

07/2019


REGENCYTABLESANDSINKS.COM

STAINLESS STEEL DOUBLE DECK OVERSHELVES




12" DEEP SHELVES

NSF



18" DEEP SHELVES

NSF



PROJECT: _____

MODEL: _____

ITEM #: _____ QUANTITY: _____

APPROVAL: _____ DATE: _____

SERVITE HOLD IT
HEAT IT
MOVE IT

PRODUCT SPEC SHEET

Standard Width DRAWER WARMERS

FREESTANDING



Items

- #423WDSFS1 - 1 Cabinet Stationary
- #423WDSFS2 - 2 Cabinet Stationary
- #423WDSFS3 - 3 Cabinet Stationary
- #423WDSFS3MK - 3 Cabinet Mobile

Features

- Each drawer comes with individual recessed thermostatic controls which boast a 80-220°F temperature range
- Heavy-duty stainless steel construction with 1" fiberglass insulation and full-length drawer gaskets promote heat efficiency
- Each drawer fits (1) full size 12" x 20" x 6" deep food pan
- Heavy-duty 11 gauge drawer slides, 14 gauge slide brackets and rolling bearings ensure jam-free use and dependable durability
- Vent control knob allows ultimate control over airflow to keep foods tasting their best in dry, moist, or semi-moist environments

Options & Accessories

SERVITE #423WDP22
5" Caster with Brake

SERVITE #423WDCASTER
5" Caster without Brake



#148EXCEL
Excel Stainless Steel Cleaner & Polish
18 oz. Aerosol




#24711 / 222 / 422 / 622
Full Size Stainless Steel Food Pans
2½", 4", or 6" Deep • 22 Gauge Anti-Jam



Warranty

ServIt Equipment warrants its Drawer Warmers from manufacturer defect and workmanship for a period of **1 Year** from the original date of purchase. See manual for full details.

Certifications & Markings




LISTED

NEMA 5-15P

Technical Data


#423WDSFS1 • 1 CABINET

Cabinet Width	17.75"
Cabinet Depth	21.00"
Cabinet Height	10.84"
Total Height	14.84"
Type	Stationary
# of Drawers	1
Voltage	120V
Wattage	450W




#423WDSFS2 • 2 CABINET

Cabinet Width	17.75"
Cabinet Depth	21.00"
Cabinet Height	20.24"
Total Height	24.24"
Type	Stationary
# of Drawers	2
Voltage	120V
Wattage	900W




#423WDSFS3 • 3 CABINET

Cabinet Width	17.75"
Cabinet Depth	21.00"
Cabinet Height	29.63"
Total Height	33.63"
Type	Stationary
# of Drawers	3
Voltage	120V
Wattage	1350W



#423WDSFS3MK • 3 CABINET

Cabinet Width	17.75"
Cabinet Depth	21.00"
Cabinet Height	29.63"
Total Height	34.63"
Type	Mobile
# of Drawers	3
Voltage	120V
Wattage	1350W



16 GAUGE STAINLESS STEEL WORK TABLES WITH 4" BACKSPLASH

REGENCY
Stainless Steel Commercial
Tables And Sinks



FEATURES

- Smooth type 304 stainless steel work surface makes cleaning a breeze
- 4" backsplash to protect posterior wall
- Stainless steel legs, undershelf, and hat channels provide unparalleled stability
- Adjustable bullet feet ensure leveling on uneven surfaces
- Combines unbeatable strength with long-lasting durability
- Simple assembly and installation requires little effort

SPECIFICATIONS



ITEM	LENGTH	WIDTH	WORK HEIGHT	UNDERSHELF DIMENSIONS	TOP SHELF CAPACITY	UNDERSHELF CAPACITY	WEIGHT
600TSB2424S	24"	24"	34"	18" x 18"	500 lb.	300 lb.	35 lb.
600TSB2430S	30"	24"	34"	24" x 18"	500 lb.	300 lb.	40 lb.
600TSB2436S	36"	24"	34"	30" x 18"	530 lb.	320 b.	46 lb.
600TSB2448S	48"	24"	34"	42" x 18"	560 lb.	340 b.	59 lb.
600TSB2460S	60"	24"	34"	54" x 18"	580 lb.	360 lb.	70 lb.
600TSB2472S	72"	24"	34"	66" x 18"	600 lb.	380 lb.	87 lb.
600TSB2496S	96"	24"	34"	90" x 18"	760 lb.	450 lb.	110 lb.
600TSB3030S	30"	30"	34"	24" x 24"	550 lb.	330 b.	47 lb.
600TSB3036S	36"	30"	34"	30" x 24"	570 lb.	350 b.	51 lb.
600TSB3048S	48"	30"	34"	42" x 24"	600 lb.	370 lb.	66 lb.
600TSB3060S	60"	30"	34"	54" x 24"	620 lb.	390 lb.	80 lb.
600TSB3072S	72"	30"	34"	66" x 24"	640 lb.	410 lb.	99 lb.
600TSB3084S	84"	30"	34"	78" x 24"	780 lb.	460 lb.	113 lb.
600TSB3096S	96"	30"	34"	90" x 24"	800 lb.	480 lb.	126 lb.
600TSB3636S	36"	36"	34"	30" x 30"	600 lb.	380 lb.	58 lb.
600TSB3648S	48"	36"	34"	42" x 30"	630 lb.	400 lb.	72 lb.
600TSB3660S	60"	36"	34"	54" x 30"	650 lb.	420 lb.	87 lb.
600TSB3672S	72"	36"	34"	66" x 30"	670 lb.	440 lb.	102 lb.
600TSB3696S	96"	36"	34"	90" x 36"	820 lb.	510 lb.	139 lb.

NOTE: 84" & 96" Work Tables Feature (6) Six Legs for Added Stability

REGENCYTABLESANDSINKS.COM


16 GAUGE STAINLESS STEEL
WORK TABLES
WITH 4" BACKSPLASH

REGENCY
Stainless Steel Commercial
Tables And Sinks




TOP

LENGTH




WIDTH

FRONT



SIDE



CASTERS & FEET

ITEM	DESCRIPTION	#/PACK
600CASTER4	5" Swivel Stem Casters	4
600CASTER6	5" Swivel Stem Casters	6
600CASTERHD4	5" Heavy-Duty Swivel Stem Casters	4
600CASTERHD6	5" Heavy-Duty Swivel Stem Casters	6
600PABF	Adjustable Plastic Bullet Foot	1
600SPABF	Adjustable Stainless Steel Bullet Foot	1
600SSFF	3¼" Stainless Steel Flanged Foot	1

UNDERSHELVES

ITEM	DIMENSIONS	FITS
600UT1824S	18"L x 12"W	24"L x 18"W Work Tables
600UT1830S	24"L x 12"W	30"L x 18"W Work Tables
600UT1836S	30"L x 12"W	36"L x 18"W Work Tables
600UT1848S	42"L x 12"W	48"L x 18"W Work Tables
600UT1860S	54"L x 12"W	60"L x 18"W Work Tables
600UT1872S	66"L x 12"W	72"L x 18"W Work Tables
600UT2424S	18"L x 18"W	24"L x 24"W Work Tables
600UT2430S	24"L x 18"W	30"L x 24"W Work Tables
600UT2436S	30"L x 18"W	36"L x 24"W Work Tables
600UT2448S	42"L x 18"W	48"L x 24"W Work Tables
600UT2460S	54"L x 18"W	60"L x 24"W Work Tables
600UT2472S	66"L x 18"W	72"L x 24"W Work Tables
600UT2484S	78"L x 18"W	84"L x 24"W Work Tables
600UT2496S	90"L x 18"W	96"L x 24"W Work Tables
600UT3030S	24"L x 24"W	30"L x 30"W Work Tables
600UT3036S	30"L x 24"W	36"L x 30"W Work Tables
600UT3048S	42"L x 24"W	48"L x 30"W Work Tables
600UT3060S	54"L x 24"W	60"L x 30"W Work Tables
600UT3072S	66"L x 24"W	72"L x 30"W Work Tables
600UT3084S	78"L x 24"W	84"L x 30"W Work Tables
600UT3096S	90"L x 24"W	96"L x 30"W Work Tables
600UT3636S	30"L x 30"W	36"L x 36"W Work Tables
600UT3648S	42"L x 30"W	48"L x 36"W Work Tables
600UT3660S	54"L x 30"W	60"L x 36"W Work Tables
600UT3672S	66"L x 30"W	72"L x 36"W Work Tables
600UT3696S	90"L x 30"W	96"L x 36"W Work Tables

CASTERS

Each set of Regency casters lets you turn any work table or equipment stand with 4 or 6 standard legs into a mobile work station. With a total weight capacity of 1200 to 1600 lb., these wheels can stand the toughest of tests and are sure to meet your needs. Take your table or equipment on the go and then keep it secure with the flip of a lever, conveniently placed at foot level for easy locking and unlocking.

BULLET FEET

Make sure your table, compartment sink, or dishtable is level and stable by replacing a missing or broken bullet foot with these Regency Bullet Feet! They are designed to fit equipment with 1½" outer diameter legs and are adjustable so they can accommodate uneven floors.

FLANGED FEET

If you need to bolt your Regency equipment to the floor for added stability during use, this flanged 3¼" seismic foot is the perfect solution! It is designed to swap out easily for an existing foot on Regency products with legs that measure 1½" in outer diameter. Feet like these are typically used to comply with local codes, which require you to secure equipment to the floor, and in situations where keeping your equipment immobile could be useful, like on a food truck.



UNDERSHELVES

Add extra storage space and organization to your kitchen with a Regency adjustable stainless steel work table undershelf! Undershelves provide additional storage for frequently used items like prep tools, cutting boards, bar towels, oven mitts, pans, and trays. These undershelves are adjustable, so you can move them higher or lower to accommodate items of varying sizes. Made of 18 gauge, type 430 stainless steel, Regency undershelves ensure maximum durability and corrosion resistance, and are easy to clean and sanitize.



OVERSHELVES

ITEM	TYPE	DIMENSIONS	FITS
600SOS1230	Single Deck	30"L x 12"W x 19¼"H	30"L Work Tables
600SOS1236	Single Deck	36"L x 12"W x 19¼"H	36"L Work Tables
600SOS1248	Single Deck	48"L x 12"W x 19¼"H	48"L Work Tables
600SOS1260	Single Deck	60"L x 12"W x 19¼"H	60"L Work Tables
600SOS1272	Single Deck	72"L x 12"W x 19¼"H	72"L Work Tables
600SOS1284	Single Deck	84"L x 12"W x 19¼"H	84"L Work Tables
600SOS1296	Single Deck	96"L x 12"W x 19¼"H	96"L Work Tables
600SOS1830	Single Deck	30"L x 18"W x 19¼"H	30"L Work Tables
600SOS1836	Single Deck	36"L x 18"W x 19¼"H	36"L Work Tables
600SOS1848	Single Deck	48"L x 18"W x 19¼"H	48"L Work Tables
600SOS1860	Single Deck	60"L x 18"W x 19¼"H	60"L Work Tables
600SOS1872	Single Deck	72"L x 18"W x 19¼"H	72"L Work Tables
600SOS1884	Single Deck	84"L x 18"W x 19¼"H	84"L Work Tables
600SOS1896	Single Deck	96"L x 18"W x 19¼"H	96"L Work Tables
600DOS1230	Double Deck	30"L x 12"W x 32"H	30"L Work Tables
600DOS1236	Double Deck	36"L x 12"W x 32"H	36"L Work Tables
600DOS1248	Double Deck	48"L x 12"W x 32"H	48"L Work Tables
600DOS1260	Double Deck	60"L x 12"W x 32"H	60"L Work Tables
600DOS1272	Double Deck	72"L x 12"W x 32"H	72"L Work Tables
600DOS1284	Double Deck	84"L x 12"W x 32"H	84"L Work Tables
600DOS1296	Double Deck	96"L x 12"W x 32"H	96"L Work Tables
600DOS1830	Double Deck	30"L x 18"W x 32"H	30"L Work Tables
600DOS1836	Double Deck	36"L x 18"W x 32"H	36"L Work Tables
600DOS1848	Double Deck	48"L x 18"W x 32"H	48"L Work Tables
600DOS1860	Double Deck	60"L x 18"W x 32"H	60"L Work Tables
600DOS1872	Double Deck	72"L x 18"W x 32"H	72"L Work Tables
600DOS1884	Double Deck	84"L x 18"W x 32"H	84"L Work Tables
600DOS1896	Double Deck	96"L x 18"W x 32"H	96"L Work Tables

DRAWERS

ITEM	EXTERIOR DIMENSIONS	INTERIOR DIMENSIONS
600DR2015	19½"L x 23¾"W x 5"H	15"L x 20"W x 5"H
600DR2020	25½"L x 23¾"W x 5"H	20"L x 20"W x 5"H

STAINLESS STEEL
OVERSHELVES

Add extra storage space and organization to your kitchen with these Regency stainless steel overshelves! Available in single or double deck, their 18 gauge, type 430 stainless steel construction ensures long-lasting durability to stand up to repeated use. Installation is simple as the whole shelf easily mounts to the end of your table using the "L" brackets, set screws, and wrench provided.



DRAWERS

Keep your kitchen organized by mounting a Regency galvanized steel drawer to the under structure of your work table. Each drawer features an easy-to-clean stainless steel front and moves on ball-bearing sides.



18 GAUGE STAINLESS STEEL EQUIPMENT FILLER TABLES WITH 4" BACKSPLASH

ITEM #: _____ QUANTITY: _____

PROJECT: _____

APPROVAL: _____

DATE: _____

REGENCY
Tables and Sinks

FEATURES

- Designed to fit in between two pieces of equipment
- 4" backsplash to protect posterior wall
- Undershelf provides additional storage space
- Adjustable bullet feet ensure leveling on uneven surfaces

SPECIFICATIONS



GALVANIZED UNDERSHELVES & LEGS

ITEM	LENGTH	WIDTH	WORK HEIGHT	UNDERSHELF DIMENSIONS	TOP SHELF CAPACITY	UNDERSHELF CAPACITY	WEIGHT
600TB2412G	12"	24"	34"	6" x 18"	400 lb.	280 lb.	26 lb.
600TB2415G	15"	24"	34"	9" x 18"	400 lb.	280 lb.	27 lb.
600TB2418G	18"	24"	34"	12" x 18"	400 lb.	280 lb.	31 lb.
600TB3012G	12"	30"	34"	6" x 24"	420 lb.	300 lb.	27 lb.
600TB3015G	15"	30"	34"	9" x 24"	420 lb.	300 lb.	30 lb.
600TB3018G	18"	30"	34"	12" x 24"	420 lb.	300 lb.	33 lb.
600TB3024G	24"	30"	34"	18" x 24"	450 lb.	330 lb.	38 lb.
600TB3612G	12"	36"	34"	6" x 30"	450 lb.	320 lb.	30 lb.
600TB3615G	15"	36"	34"	9" x 30"	450 lb.	320 lb.	34 lb.
600TB3618G	18"	36"	34"	12" x 30"	450 lb.	320 lb.	36 lb.

03/2020


REGENCYTABLESANDSINKS.COM

18 GAUGE STAINLESS STEEL
**EQUIPMENT
FILLER TABLES**
WITH 4" BACKSPLASH




TOP

LENGTH



WIDTH

FRONT



SIDE

