

ltem#:	1//BM12RA		Project:	
Otv.		Date:		Approval:

Avantco BM-12RA Bottom Mount Drop-In Full Size Hot Food Well with Round Inside Corners and Drain - 120V, 1,500W

Item#177BM12RA







Technical Data

Width	13 13/16 Inches	
Depth	21 3/4 Inches	
Height	8 3/8 Inches	
Control Cutout Width	5 3/4 Inches	
Control Width	6 7/16 Inches	
Cutout Width	11 7/8 Inches	
Cutout Depth	19 7/8 Inches	
Control Cutout Height	6 1/4 Inches	
Control Height	6 15/16 Inches	
Amps	12.5 Amps	

Features

- Holds hot foods at a safe serving temperature
- Durable, rugged stainless steel construction with heavy-duty hardware
- Fully insulated well with rounded inside corners
- Features thermostatic controls for consistent holding
- 1,500W of power with 120V electrical connection

Certifications









Technical Data

Phase	1 Phase	
Voltage	120 Volts	
Wattage	1500 Watts	
Color	Silver	
Control Type	Thermostatic	
Features	NSF Listed With Drain	
Installation Type	Bottom Mounted	
Insulated	With Insulation	
Material	Stainless Steel	
Number of Wells	1 Well	
Pan Mounting	Flush	
Plug Type	Hardwire	
Power Type	Electric	
Size	Full Size	
Туре	Food Wells	

Notes & Details

Ensure your pre-heated foods are held at food-safe temperatures with this Avantco bottom mount drop-in full size hot food well. Ideal for restaurants, caterers, buffets, and cafeterias, this unit boasts a durable, rugged stainless steel construction with heavy-duty hardware, which makes it perfect for both front- and back-of-house use. This unit features a fully insulated well with rounded corners. Use this food well to hold anything from soups and vegetables to pastas and fried chicken.

This hot food well uses thermostatic controls and includes a 1/2" drain with a screen, helping to prevent food waste from entering your plumbing waste line. Plus, it's easy to install and comes with a remote control box with a 3' long cord. This food well features a $6\,1/4$ " deep $20\,1/8$ " x $12\,3/16$ " well with a bottom mount, drop-in design and 1,500W of power. It requires a 120V electrical connection for operation.