



Avantco Equipment

Item #: 177HTI1836DC Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco HTI-1836DC Full Size Insulated Heated Holding Cabinet with Clear Dutch Doors - 120V

Item #177HTI1836DC



Technical Data

Width	22 11/16 Inches
Depth	33 1/8 Inches
Height	67 9/16 Inches
Power Cord Length	102 3/8 Inches
Interior Width	18 3/16 Inches
Interior Depth	27 1/8 Inches
Interior Height	53 13/16 Inches
Hertz	60 Hz
Phase	1 Phase
Voltage	120 Volts

Features

- Insulated lip-load design holds up to 36 full size sheet pans; 1 1/2" of clearance between slides
- Versatile heat mode with 9 adjustable temperature settings up to 185 degrees Fahrenheit
- Clear full-swing Lexan dutch doors provide excellent visibility and heat retention
- Integrated easy-to-read LED display on removable bottom control drawer
- 120V, 1,575W

Certifications



NSF Certified



5-15P




UL Certified

Technical Data

Wattage	1575 Watts
Cabinet Size	Full Height
Casters	With Casters
Color	Silver
Construction	Aluminum
Control Location	Bottom Mounted
Control Type	Analog
Door Type	Clear
Dutch Half Doors	Without Dutch Half Doors
Features	NSF Certified
Full Size Sheet Pan Capacity	36 Pans
Hinge Location	Left Right
Insulated	With Insulation
Interior Configuration	Lip Load Slides
Lip Load Capacity	100 lb.
Maximum Temperature	185 Degrees F
Number of Doors	2 Doors
Plug Type	NEMA 5-15P
Power Type	Electric
Sections	1 Section
Style	Reach-In
Type	Holding Cabinets

Plan View





Notes & Details

Designed to keep all your freshly cooked food items hot until they're ready to serve, this Avantco HTI-1836DC full size insulated heated holding cabinet helps ensure your restaurant, diner, or bakery is always prepared for high volume meal periods. Boasting nine adjustable holding settings and a heat mode that can reach 185 degrees Fahrenheit, this cabinet is perfect for storing a wide variety of ready-to-serve dishes. The fully insulated cabinet is excellent at retaining heat, leading to better energy efficiency over uninsulated models.

A total of 36 lip-load pan slides accept full size 18" x 26" or half size 18" x 13" sheet pans, while 180 degree full-swing Lexan clear dutch doors provide outstanding impact and heat-resistance as well as allowing for easy monitoring of the contents inside. For valuable temperature protection, the doors are paired with magnets and tight-fitting gaskets to combine with reliable insulation to ensure the warm air inside does not escape. You can also reverse the door hinges based on your needs. An easy-to-read thermometer for effortless temperature monitoring and a dial is located on the unit's bottom control drawer that can also be removed for quick cleaning. Thanks to four 5" poly casters (2 locking, 2 non-locking), this cabinet can be filled and moved from your prep location to the serving area with incredible ease, while integrated corner bumpers protect nearby walls and equipment during transport. The Avantco HTI-1836DC full size cabinet requires a 120V electrical connection.

⚠️ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.