| Item #: 178AWT27RHC |       | Project: |   |
|---------------------|-------|----------|---|
| Qty:                | Date: | Approval | : |

## Avantco AWT-27R-HC 27" Worktop Refrigerator with 3 1/2" Backsplash

Item #178AWT27RHC

REFRIGERATION





## **Technical Data**

| Width                   | 27 Inches     |
|-------------------------|---------------|
| Depth                   | 29 1/2 Inches |
| Height                  | 38 3/4 Inches |
| Power Cord Length       | 84 Inches     |
| Interior Width          | 22 1/4 Inches |
| Shelf Width             | 21 7/8 Inches |
| Depth with Door<br>Open | 56 1/2 Inches |
| Interior Depth          | 22 7/8 Inches |
| Shelf Depth             | 17 3/4 Inches |
| Interior Height         | 23 1/2 Inches |

### **Features**

- 430 type stainless steel exterior and aluminum interior with 304 stainless steel • floor
- Foamed-in-place CFC- and HCFC-free polyurethane insulation increases energy efficiency
- Self-closing and stay-open door features for easy loading and unloading of product •
- Door features easy-to-use recessed handle for quick interior access •
- Maintains cold temperatures from 33 to 40 degrees Fahrenheit; 115V; 1/4 hp •


### Certifications





| Work Surface Height         | 35 1/4 Inches  |
|-----------------------------|--|
| Amps                        | 2.2 Amps   |
| Hertz                       | 60 Hz  |
| Phase                       | 1 Phase  |
| Voltage                     | 115 Volts  |
| Wattage                     | 210 Watts  |
| Access Type                 | Doors  |
| BTU (LBP)                   | 666 BTU  |
| Capacity                    | 6.2 cu. ft.  |
| Capacity (per Shelf)        | 88 lb.   |
| Compressor Style            | Side / Rear Breathing  |
| Construction                | Stainless Steel and Aluminum   |
| Door Style                  | Swing  |
| Door Type                   | Solid  |
| Features                    | Automatic Electric Defrost<br>Digital Temperature Controller<br>Removable Magnetic Door Gaskets<br>With Backsplash |
| Hinge Location              | Right  |
| Horsepower                  | 1/4 hp   |
| Insulation Material         | Polyurethane Foam  |
| Maximum Ambient Temperature | 90 Degrees F   |
| Net Weight                  | 159 lb.  |
| Number of Doors             | 1 Doors  |
| Number of Shelves           | 1 Shelf  |
| Plug Type                   | NEMA 5-15P   |
| Refrigerant Capacity        | 2.8 oz.  |
| Refrigerant Type            | R-290  |
| Style                       | Counter Height   |
| Temperature Range           | 33 - 40 Degrees F  |
| Top Capacity                | 441 lb.  |

# **Plan View**





### **Notes & Details**

Make food preparation as convenient as possible with the Avantco AWT-27R-HC 27" worktop refrigerator. With a spacious stainless steel worktop surface for slicing, dicing, assembling, mixing, and other food prep tasks, the unit features a 3 1/2" backsplash for wall protection and a refrigerated storage space below. The refrigerated portion is readily accessible through the door, which opens up to one epoxy coated shelf to help you organize your ingredients and best utilize the spacious interior. Plus, because it accommodates up to 88 lb., the shelf is well equipped for holding heavy bulk ingredients, from fresh produce to sauces, glazes, and other specialty condiments and garnishes.

This refrigerated unit is designed for outstanding durability to ensure that it withstands tough, busy kitchen environments with ease. It features a 430 type stainless steel exterior, which provides both strength and a smooth, sleek appearance. The painted aluminum interior with a 304 stainless steel floor also offers the durability necessary for heavy, regular use.

This worktop refrigerator ensures optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps to retain cold temperatures, which ensures that all food held in the unit remains at food safe temperatures and ready for preparation or direct service to customers!

Operation of the refrigerator is easy, thanks to its special features, including a wall-mount thermometer, auto defrost function, and digital temperature controller. At the end of the day, take advantage of the casters and roll the unit aside to thoroughly clean the area. This worktop refrigerator requires a 115V electrical connection for operation.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.