

Item#:	178DDLC84B		Project:		
O4		Data		A	
Otv·		Date:		Approval:	

Avantco DDLC-84-B 84" Black Square Glass Refrigerated Double-Duty Deli Case

Item#178DDLC84B







Technical Data

Width	84 Inches		
Depth	35 1/2 Inches		
Height	56 15/16 Inches		
Power Cord Length	98 1/2 Inches		
Bottom Shelf Width	19 5/16 Inches		
Door Opening Width	12 5/8 Inches		
Interior Width	79 11/16 Inches		
Middle Shelf Width	19 5/16 Inches		
Bottom Shelf Depth	27 1/2 Inches		
Interior Depth	31 3/16 Inches		

Features

- Sleek black exterior finish
- Durable commercial grade tempered glass and sliding rear doors
- Interior shelves for an organized display; added storage underneath
- Digital controller for easy operation and automatic defrost for easy maintenance
- Gravity coil system; R-290 refrigerant; 115V

Certifications



ETL Sanitation






5-15



Technical Data

Middle Shelf Depth	31 Inches		
Door Opening Height	26 Inches		
Interior Height	47 5/8 Inches		
Amps	10.2 Amps		
Phase	1 Phase		
Voltage	115 Volts		
Wattage	1100 Watts		
Capacity	50.4 cu. ft.		
Casters	With Casters		
Color	Black		
Compressor Location	Bottom Mounted		
Display Case Type	Double Duty Refrigerated		
Door Style	Sliding		
Door Type	Glass		
Exterior Material	Aluminum		
Features	LED Lighting		
Glass Style	Flat		
Horsepower	1 hp		
Installation Type	Freestanding		
Interior Material	Aluminum		
Number of Doors	2 Doors		
Number of Shelves	10 Shelves		
Plug Type	NEMA 5-15P		
Refrigerant Capacity	4.6 oz.		
Refrigerant Type	R-290		
Refrigeration Type	Gravity Coil		
Service Type	Full Service		
Starting Amps	30.6 Amps		
Starting Wattage	3300 Watts		
Temperature	33 - 40 Degrees F		
Туре	Deli Cases		

Plan View





Notes & Details

Attractively present your fresh cheese, meat, and other refrigerated deli items with the Avantco DDLC-84-B 84" black square glass refrigerated deli case! With a sleek, square glass design, this contemporary case keeps contents sanitary while beautifully displaying them on the 6 stainless steel solid shelves and 4 epoxy-coated bottom shelves. With added storage underneath, this unit is easy to restock and helps save space in your establishment. Crisp, internal LED lighting provides superior visibility for your products. Having a deli case is sure to boost your impulse sales because customers can clearly see the products you're offering behind the strong, damage-resistant glass front. A durable black-painted aluminum exterior and aluminum interior offer long-lasting durability.

For optimal temperature retention, this deli case features foamed-in-place polyurethane insulation that protects the integrity of your refrigerated goods. A 1 hp refrigeration system keeps the unit operating at temperatures between 33 and 40 degrees Fahrenheit by circulating R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The digital temperature controller ensures quick temperature readability, and for convenience the unit has an auto defrost function. A set of 4" casters, 3 with brakes, provides the unit with convenient mobility. When it comes time for cleaning or maintenance, simply roll the unit away from the wall! A 115V electrical connection is required for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.