

Item #: 178DLC36HCS Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco DLC36-HC-S 36" Stainless Steel Curved Glass Refrigerated Deli Case

Item #178DLC36HCS



Technical Data

Width	36 1/4 Inches
Depth	32 1/2 Inches
Height	42 7/8 Inches
Power Cord Length	98 Inches
Bottom Shelf Width	14 15/16 Inches
Interior Width	32 1/4 Inches
Left Door Opening Width	14 5/8 Inches
Middle Shelf Width	29 1/16 Inches
Right Door Opening Width	14 5/8 Inches
Top Shelf Width	29 1/16 Inches

Features

- Curved glass front and LED lighting to best showcase fresh deli product
- Strong and sleek stainless steel exterior with a 21" deep countertop for convenient workspace
- 2 rear sliding doors provide access to interior, which houses 3 shelves for product organization
- Digital controller for easy operation and automatic defrost for easy maintenance
- Uses R290; 1/3 hp; 115V

Certifications



ETL, US



5-15P




ETL Sanitation

Technical Data

Bottom Shelf Depth	24 13/16 Inches
Interior Depth	26 3/4 Inches
Middle Shelf Depth	22 7/16 Inches
Top Shelf Depth	20 1/2 Inches
Interior Height	26 3/4 Inches
Amps	4.5 Amps
Phase	1 Phase
Voltage	115 Volts
Wattage	348 Watts
BTU (LBP)	1252 BTU
Capacity	11.6 cu. ft.
Color	Silver
Compressor Location	Bottom Mounted
Display Case Type	Refrigerated Single Duty
Door Style	Sliding
Features	LED Lighting Lighted Interior
Glass Style	Curved
Horsepower	1/3 hp
Installation Type	Freestanding
Number of Doors	2 Doors
Number of Shelves	3 Shelves
Number of Tiers	3 Tiers
Plug Type	NEMA 5-15P
Refrigerant Capacity	3.2 oz.
Refrigerant Type	R-290
Refrigeration Type	Gravity Coil
Service Type	Full Service
Starting Amps	13.5 Amps
Starting Wattage	1044 Watts
Temperature	33 - 40 Degrees F
Type	Deli Cases

Plan View





Notes & Details

Great for cafes and delis, the Avantco DLC36-HC-S 36" stainless steel curved glass refrigerated deli case provides 10 cu. ft. of display space for merchandising parfaits, specialty sandwiches, and pre-packaged salads. Organize and display your product inventory on the 3 epoxy-coated steel shelves, each of which accommodate up to 132 lb. of weight. This provides plenty of strength to showcase your largest pre-wrapped subs, trays of sliced fruit, or dense, grain-based salads. Plus, the interior floor is made of type 304 stainless steel to withstand the inevitable spill or leak, helping to maintain the cabinet's integrity throughout the years. The 3 access doors easily slide open for efficient loading and service.

With a type 304 stainless steel exterior, the deli case is designed with durability in mind. It also includes a curved glass front, which helps to draw attention to the products you display inside, increasing visibility and encouraging impulse buys.

To ensure that products remain at food safe temperatures at all times, the unit relies on a 1/3 hp refrigeration system that circulates R290 refrigerant. This specialty refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Not only does it help you do your part to be kind to the environment, it also maintains temperatures between 33 and 40 degrees Fahrenheit. This deli case uses gravity coil refrigeration, meaning it is able to keep product cold, fresh, and ready to serve without the risk of dehydration. The digital temperature controller makes sure that it's easy to monitor and adjust as needed. Automatic defrost also simplifies maintenance, so your deli case is working at top-performance. It requires a 115V electrical connection for operation and includes a 98" cord.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.