

ltem#:	178DLC64HCS		Project: _		
Otv.		Data	- <u>-</u>	A	 _
DLV.		L)ate:		Approval:	

Avantco DLC64-HC-S 64" Stainless Steel Curved Glass Refrigerated Deli Case

Item#178DLC64HCS







Technical Data

Width	64 1/4 Inches	
Depth	32 1/2 Inches	
Height	42 7/8 Inches	
Power Cord Length	98 Inches	
Bottom Shelf Width	19 1/2 Inches	
Interior Width	60 1/4 Inches	
Left Door Opening Width	18 15/16 Inches	
Middle Door Opening Width	18 15/16 Inches	
Middle Shelf Width	18 1/2 Inches	
Right Door Opening Width	18 15/16 Inches	

Features

- Curved glass front and LED lighting to best showcase fresh deli product
- Strong and sleek stainless steel exterior with a 21" deep countertop for convenient workspace
- 3 rear sliding doors provide access to interior, which houses 9 shelves for product organization
- Digital controller for easy operation and automatic defrost for easy maintenance
- Uses R290; 4/5 hp; 115V

Certifications



ETL, US



(

ETL Sanitation



Technical Data

Top Shelf Width	18 1/2 Inches		
Bottom Shelf Depth	24 13/16 Inches		
Interior Depth	26 3/4 Inches		
Middle Shelf Depth	22 7/16 Inches		
Top Shelf Depth	20 1/2 Inches		
Interior Height	26 3/4 Inches		
Amps	4.8 Amps		
Voltage	115 Volts		
Wattage	472 Watts		
BTU (LBP)	2760 BTU		
Capacity	18.8 cu. ft.		
Color	Silver		
Compressor Location	Bottom Mounted		
Display Case Type	Refrigerated Single Duty		
Door Style	Sliding		
Features	LED Lighting Lighted Interior		
Glass Style	Curved		
Horsepower	4/5 hp		
Number of Doors	3 Doors		
Number of Shelves	9 Shelves		
Number of Tiers	3 Tiers		
Plug Type	NEMA 5-15P		
Refrigerant Capacity	4.2 oz.		
Refrigerant Type	R-290		
Refrigeration Type	Gravity Coil		
Service Type	Full Service		
Starting Amps	14.4 Amps		
Starting Wattage	1416 Watts		
Temperature	33 - 40 Degrees F		
Туре	Deli Cases		

Plan View





Notes & Details

Great for cafes and delis, the Avantco DLC64-HC-S 64" stainless steel curved glass refrigerated deli case provides 18.8 cu. ft. of display space for merchandising parfaits, specialty sandwiches, and pre-packaged salads. Organize and display your product inventory on the 9 epoxy-coated steel shelves, each of which accommodate up to 132 lb. of weight. This provides plenty of strength to showcase your largest pre-wrapped subs, trays of sliced fruit, or dense, grain-based salads. Plus, the interior floor is made of type 304 stainless steel to withstand the inevitable spill or leak, helping to maintain the cabinet's integrity throughout the years. The 3 access doors easily slide open for efficient loading and service.

With a type 430 stainless steel exterior, the deli case is designed with durability in mind. It also includes a curved glass front, which helps to draw attention to the products you display inside, increasing visibility and encouraging impulse buys.

To ensure that products remain at food safe temperatures at all times, the unit relies on a 4/5 hp refrigeration system that circulates R290 refrigerant. This specialty refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Not only does it help you do your part to be kind to the environment, it also maintains temperatures between 33 and 40 degrees Fahrenheit. This deli case uses gravity coil refrigeration, meaning it is able to keep product cold, fresh, and ready to serve without the risk of dehydration. The digital temperature controller makes sure that it's easy to monitor and adjust as needed. Automatic defrost also simplifies maintenance, so your deli case is working at top-performance. It requires a 115V electrical connection for operation and includes a 98" cord.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.