

Item #: 178DLC82HCS Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco DLC82-HC-S 82" Stainless Steel Curved Glass Refrigerated Deli Case

Item #178DLC82HCS



### Technical Data

Width	82 Inches
Depth	32 1/2 Inches
Height	42 7/8 Inches
Power Cord Length	98 Inches
Bottom Shelf Width	25 3/8 Inches
Interior Width	78 Inches
Left Door Opening Width	25 5/8 Inches
Middle Door Opening Width	25 5/8 Inches
Middle Shelf Width	24 7/16 Inches
Right Door Opening Width	25 5/8 Inches

### Features

- Curved glass front and LED lighting to best showcase fresh deli product
- Strong and sleek stainless steel exterior with a 21" deep countertop for convenient workspace
- Nine epoxy coated shelves; six are adjustable to accommodate different sized products
- Digital controller for easy operation and automatic defrost for easy maintenance
- Uses R290; 4/5 hp; 115V

### Certifications



ETL, US



ETL Sanitation




5-15P

## Technical Data

Top Shelf Width	25 9/16 Inches
Bottom Shelf Depth	24 13/16 Inches
Interior Depth	26 3/4 Inches
Middle Shelf Depth	22 7/16 Inches
Top Shelf Depth	20 1/2 Inches
Interior Height	26 3/4 Inches
Amps	5 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	518 Watts
BTU (LBP)	2245 BTU
Capacity	24.4 cu. ft.
Color	Silver
Compressor Location	Bottom Mounted
Display Case Type	Refrigerated Single Duty
Door Style	Sliding
Features	LED Lighting Lighted Interior
Glass Style	Curved
Horsepower	4/5 HP
Installation Type	Floor Model
Number of Doors	3 Doors
Number of Shelves	9 Shelves
Number of Tiers	3 Tiers
Plug Type	NEMA 5-15P
Refrigerant Capacity	4.9 oz.
Refrigerant Type	R-290
Refrigeration Type	Gravity Coil
Service Type	Full Service
Starting Amps	15 Amps
Starting Wattage	1554 Watts
Temperature	33 - 40 Degrees F
Type	Deli Cases

## Plan View





## Notes & Details

Attractively present your fresh cheese, meat, and other refrigerated deli items with the Avantco DLC47-HC-S 47" stainless steel curved glass refrigerated deli case! With a smooth, curved glass design, this contemporary case keeps contents sanitary while beautifully displaying them on nine epoxy-coated shelves. Crisp, internal LED lighting provides superior visibility for your products. Having a deli case is sure to boost your impulse sales, because customers can clearly see the products you're offering behind the strong, damage-resistant glass front. A stainless steel exterior combines with the painted aluminum and 304 stainless steel interior for long-lasting durability.

For optimal temperature retention, this deli case features foamed-in-place polyurethane insulation that protects the integrity of your refrigerated goods. A 4/5 hp compressor keeps the unit operating at temperatures between 33-40 degrees Fahrenheit, while circulating R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The digital temperature controller ensures quick temperature readability, and for convenience, the unit has an auto defrost function. This deli case uses gravity coil refrigeration, meaning it is able to keep product cold, fresh, and ready to serve without the risk of dehydration. A 115V electrical connection is required for operation.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).