

Item #:	178GDC12FHCB		Project:	
Otv:		Date:		Approval:

### Avantco GDC-12F-HC 27" Black Swing Glass Door Merchandiser Freezer with LED Lighting

Item #178GDC12FHCB







#### **Technical Data**

Width	27 3/16 Inches	
Depth	26 3/16 Inches	
Height	84 13/16 Inches	
Power Cord Length	84 Inches	
Interior Width	21 1/4 Inches	
Left Door Opening Width	21 5/16 Inches	
Interior Depth	19 1/4 Inches	
Interior Height	55 1/8 Inches	
Caster Diameter	4 Inches	
Amps	5.18 Amps	

#### **Features**

- 1 self-closing, anti-fog dual-pane tempered glass swing door with magnetic
- Easy-to-use digital temperature controls, temperature range: -7 0
- Includes 4 adjustable, plastic-coated steel shelves
- Interior LED lighting; 4" casters included
- 115V, 5/6 hp, R290 refrigerant

#### **Certifications**










## **Technical Data**

(01)	
60 Hertz	
1 Phase	
115 Volts	
Doors	
2075 BTU	
12.89 cu. ft.	
With Casters	
Black	
Bottom Mounted	
Swing	
Glass	
Customizable LED Lighting Lighted Interior Self-Closing Doors	
5/6 HP	
90 lb.	
White	
1 Doors	
4 Shelves	
NEMA 5-15P	
4.1 oz.	
R-290	
1 Section	
-70 Degrees F	
Merchandising Refrigeration	

# Plan View





#### **Notes & Details**

Increase impulse sales of frozen meals, novelty treats, fruits, and vegetables with this Avantco GDC-12F-HC 27 1/8" black merchandising freezer! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from black coated steel, you can be sure that it will provide superior durability. This unit boasts an anti-fogging, dual-pane tempered glass swing door to ensure that customers always have a clear view of your products, while (4) epoxy coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate prepackaged foods in a variety of sizes. Interior LED lighting also works to illuminate and further merchandise your products.

Designed to maintain temperatures from -8 to -1 degree Fahrenheit, this freezer boasts a bottom-mounted 5/6 hp compressor that runs on R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include self-closing aided by magnetic gaskets, automatic defrosting, as well as a digital temperature control and display. This item requires a 115V electrical connection for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.