

Avantco GDC-15-HC 25 5/8" Black Left-Hinged Swing Glass Door Merchandiser Refrigerator with LED Lighting

Item #178GDC15LHB



Technical Data

Width	25 5/8 Inches
Depth	22 7/8 Inches
Height	79 5/16 Inches
Power Cord Length	84 Inches
Interior Width	22 7/8 Inches
Left Door Opening Width	22 7/8 Inches
Interior Depth	19 3/4 Inches
Interior Height	55 1/8 Inches
Amps	2.5 Amps
Hertz	60 Hertz

Features

- Features a self-closing, anti-fog, dual-pane tempered glass swing door with magnetic gaskets
- Interior LED lighting illuminates product
- 4 adjustable shelves with price tag strip on each shelf
- Easy-to-use digital temperature controls
- 115V; 1/3 hp compressor; R-290 refrigerant

Certifications



ETL, US



5-15P



Technical Data

Phase	1 Phase
Voltage	115 Volts
Wattage	286 Watts
Access Type	Doors
BTU (LBP)	881 BTU
Capacity	13.3 cu. ft.
Color	Black
Compressor Location	Bottom Mounted
Door Style	Swing
Door Type	Glass
Exterior Material	Black-Coated Steel
Features	LED Lighting Self-Closing Doors
Hinge Location	Left
Horsepower	1/3 HP
Individual Shelf Capacity	90 lb.
Installation Type	Freestanding
Interior Color	White
Number of Doors	1 Doors
Number of Shelves	4 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	2.5 oz.
Refrigerant Type	R-290
Sections	1 Section
Shelf Material	Plastic Coated Steel
Starting Amps	7.5
Starting Wattage	858 Watts
Temperature Range	33 - 40 Degrees F
Type	Merchandising Refrigeration



Notes & Details

Whether you want to show off your wide selection of sodas, teas, and energy drinks, or give customers quick access to pre-packaged salads and sandwiches, this merchandising refrigerator is the perfect unit for the task with its sharp looks and smart design features! Its single section design takes up minimal space and makes this unit great for use in applications like markets, delis, and restaurants where it can be kept in plain sight to house take-out beverages or give customers a chance to see all of the delicious desserts, sides, and drinks you offer with your meals! This merchandiser boasts interior LED lighting on the right side to always show your products at their best. The anti-fogging, dual-pane tempered glass door helps ensure a crystal-clear view of the interior, while integrated magnetic gaskets enable self-closing to ensure the left-hinged door closes firmly after use every time, saving energy and maintaining the quality of your food. The unit is ideal for bottled and canned beverages and it can also be used to show off salads, sandwiches, and other pre-packaged foods.

Made from plastic-coated steel, the shelves in this refrigerator are easy to install and adjust to meet the demands of changing inventory needs. Each shelf has a 90 lb. load capacity. A 1/3 hp refrigeration system is located on the bottom, which draws air from the coolest part of the room for better efficiency while also increasing the height of the bottom shelf to make loading and unloading easier. An intuitive control makes it easy to adjust the temperature as needed, and it also comes with a separate switch for the lighting. A digital display on the exterior allows you to see the temperature inside.

The unit's narrow design is ideal for compact spaces, while adjustable leveling feet allow you to position it appropriately. Because it is narrow, the merchandiser is not compatible with casters to prevent it from falling over, thus ensuring safe installation and operation.

This model uses R-290 refrigerant which has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an environmentally responsible choice for your business. Your drinks and foods will draw customers in on their own, but to help the merchandiser and your refrigerated goods stand out and be noticed, this model comes with a lighted panel above the cabinet. It will improve your unit's visibility no matter where you choose to install it! The frame on this unit is made from black, painted steel, and foamed-in-place polyurethane insulation within improves temperature retention and helps your merchandiser to work more efficiently. This item requires a 115V electrical connection for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.