



Item #: 178GDC23HCB Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco GDC-23-HC 28 3/8" Black Customizable Swing Glass Door Merchandiser Refrigerator with LED Lighting

Item #178GDC23HCB



### Technical Data

Width	28 3/8 Inches
Depth	31 7/8 Inches
Height	83 7/8 Inches
Power Cord Length	96 Inches
Interior Width	25 3/16 Inches
Shelf Width	24 5/16 Inches
Interior Depth	28 5/16 Inches
Shelf Depth	23 1/4 Inches
Interior Height	53 7/8 Inches
Amps	3 Amps

### Features

- Anti-fog dual-pane tempered glass swing door with magnetic gaskets
- Interior LED lighting illuminates product; back lit exterior top panel attracts customers' attention
- 4 adjustable shelves with price tag strip on each shelf
- Easy to use digital temperature controls
- 115V; 4/9 hp; R-290 refrigerant

### Certifications



ETL, US



5-15P



Customizable




ETL Sanitation

## Technical Data

Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	315 Watts
Access Type	Doors
BTU (LBP)	1109 BTU
Capacity	22.6 cu. ft.
Capacity (per Shelf)	88 lb.
Color	Black
Compressor Location	Bottom Mounted
Door Style	Swing
Door Type	Glass
Exterior Material	Black-Coated Steel
Features	Customizable LED Lighting
Hinge Location	Right
Horsepower	4/9 hp
Installation Type	Freestanding
Interior Color	White
Number of Doors	1 Doors
Number of Shelves	4 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	2.6 oz.
Refrigerant Type	R-290
Sections	1 Section
Shelf Material	Epoxy-Coated Steel
Starting Amps	9 Amps
Starting Wattage	945 Watts
Temperature Range	33 - 40 Degrees F
Type	Merchandising Refrigeration

## Plan View





## Notes & Details

Increase your sales of "grab and go" items like bottled tea and soda, or pre-packaged sandwiches and salads with this Avantco GDC-23-HC 28 3/8" black merchandising refrigerator! Designed with sharp looks and usability in mind, this unit is the perfect display for your products with its sleek finish. And, since the housing is made from black coated steel, you can be sure that it will provide superior durability. This unit boasts an anti-fogging, dual-pane tempered glass swing door to ensure that customers always have a clear view of your products, while (4) epoxy coated steel shelves help you stay organized. Plus, the shelves easily adjust to accommodate salads, wraps, or sandwiches. Interior LED lighting also works to illuminate and further merchandise your products.

Designed to maintain temperatures from 33-40 degrees Fahrenheit, this refrigerator boasts a bottom-mounted 4/9 hp compressor that runs on R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the bottom-mounted design makes it easy for employees to load and unload products due to the raised bottom shelf. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include magnetic gaskets, automatic defrosting, as well as a digital temperature control and display. This item requires a 115V electrical connection for operation.

**⚠️ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).