

Item #: 178GF25HCS Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco GF25-HC-S 26" Stainless Steel Glass Froster / Plate Chiller - 115V

Item #178GF25HCS



### Technical Data

Width	26 Inches
Depth	28 Inches
Height	34 Inches
Power Cord Length	90 Inches
Interior Width	22 Inches
Opening Width	20 1/2 Inches
Interior Depth	23 Inches
Opening Depth	9 Inches
Interior Height	26 Inches
Amps	1.33 Amps

### Features

- Designed to frost beer glasses and chill salad plates for a better guest experience
- Type 430 stainless steel exterior
- Digital controller
- Includes 4 epoxy-coated steel shelves
- 115V, 1/3 hp; R290 refrigerant; 1.33 Amps

### Certifications



5-15P




ETL, US & Canada

### Technical Data

Hertz	60 Hertz
Phase	1 Phase
Voltage	115 Volts
Access Type	Doors
BTU (LBP)	881 BTU
Capacity	4.1 cu. ft.
Compressor Location	Bottom Mounted
Door Style	Sliding
Exterior Finish	Stainless Steel
Horsepower	1/3 HP
Individual Shelf Capacity	88 lb.
Installation Type	Freestanding
Number of Doors	1 Doors
Number of Shelves	4 Shelves
Plug Type	NEMA 5-15P
Power Type	Electric
Refrigerant Capacity	2.8 oz.
Refrigerant Type	R-290
Temperature Range	-5 - 2 Degrees F

### Plan View





## Notes & Details

There's no better way to ensure properly chilled plates or frosted glasses than by using the Avantco GF25-HC-S 26" stainless steel glass froster and plate chiller! With a powerful 1/3 hp compressor and a -5 to 2 degrees Fahrenheit temperature range, this glass froster is the perfect way to cool your salad plates before service or put a delicate layer of frost on your craft beer glasses. While this unit is not for storing food or beverages, it is great for preparing the dishes or glasses you will use to serve guests. Also, it does not need to be running continuously so your staff can turn it off after hours to save electricity!

The 4.1 cu. ft. of interior space can hold plenty of salad plates or beer mugs. The Avantco GF25-HC-S glass froster's compressor uses R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. To simplify maintenance, this unit is equipped with an automatic defrost system.

The interior of this unit is made of white painted aluminum while the exterior is made of durable type 430 stainless steel. Polyurethane insulation helps to maintain the interior temperatures by minimizing temperature transfer while the sliding stainless steel door allows easy access when it's time to plate up your food or draw another glass of beer. A 115V electrical connection is required for operation.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).