

Item #: 178GF36HCS Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco GF36-HC-S 36" Stainless Steel Glass Froster / Plate Chiller - 115V

Item #178GF36HCS



Technical Data

Width	36 Inches
Depth	28 Inches
Height	34 1/4 Inches
Power Cord Length	90 Inches
Interior Width	31 7/8 Inches
Interior Depth	23 Inches
Interior Height	15 3/4 Inches
Amps	3.3 Amps
Phase	1 Phase
Voltage	115 Volts

Features

- Designed to frost beer glasses and chill salad plates for a better guest experience
- Type 430 stainless steel exterior with locking stainless steel lids
- Easy-to-read front facing digital temperature controller
- Includes 5 epoxy-coated steel shelves
- 115V; 1/2 hp; R290 refrigerant

Certifications



5-15P



ETL, US & Canada




ETL Sanitation

Technical Data

Wattage	280 Watts
BTU (LBP)	1264 BTU
Capacity	8.5 cu. ft.
Capacity (per Shelf)	88 lb.
Compressor Location	Bottom Mounted
Door Style	Sliding
Exterior Finish	Stainless Steel
Horsepower	1/2 hp
Installation Type	Freestanding
Number of Doors	1 Doors
Number of Shelves	5 Shelves
Plug Type	NEMA 5-15P
Power Type	Electric
Refrigerant Capacity	3 oz.
Refrigerant Type	R-290
Starting Amps	9.9 Amps
Starting Wattage	840 Watts
Temperature Range	-5 - 2 Degrees F

Plan View



Notes & Details

There's no better way to ensure properly chilled plates or frosted glasses than by using the Avantco GF36-HC-S 36" stainless steel glass froster and plate chiller! With a powerful 1/2 hp compressor and a -5 to 2 degrees Fahrenheit temperature range, this glass froster is the perfect way to cool your salad plates before service or put a delicate layer of frost on your craft beer glasses.

The 8.5 cu. ft. of interior space can hold plenty of salad plates or beer mugs. The glass froster's compressor uses R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. To simplify maintenance, this unit is equipped with an automatic defrost system.

The interior of this unit is made of white painted aluminum while the exterior is made of durable type 430 stainless steel. Polyurethane insulation helps to maintain the interior temperatures by minimizing temperature transfer while the sliding stainless steel door allows easy access when it's time to plate up your food or draw another glass of beer. A 115V electrical connection is required for operation.



⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

Avantco Refrigeration