

Item #: 178HBB80HCS Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco HBB-80-HC-S 80" Stainless Steel Horizontal Bottle Cooler

Item #178HBB80HCS



Technical Data

Width	79 1/2 Inches
Depth	28 Inches
Height	34 1/4 Inches
Power Cord Length	90 Inches
Interior Width	75 3/8 Inches
Left Door Opening Width	23 1/16 Inches
Middle Door Opening Width	23 1/16 Inches
Right Door Opening Width	23 1/16 Inches
Interior Depth	23 Inches
Interior Height	26 Inches

Features

- Keeps beer, cider, and soda chilled to perfection
- Spacious 22.8 cu. ft. interior
- Includes 3 stainless steel locking lids and 2 removable bottle opener / cap catchers
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 3/7 hp; R290 refrigerant

Certifications



5-15P



ETL, US




ETL Sanitation

Technical Data

Amps	3.3 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	336 Watts
BTU (LBP)	1158 BTU
Capacity	22.8 cu. ft.
Compressor Location	Side Mounted
Compressor Style	Side / Rear Breathing
Construction	Stainless Steel and Aluminum
Exterior Finish	Stainless Steel
Horsepower	3/7 hp
Lid Style	Sliding
Lid Type	Solid
Number of 12 oz. Bottles	368 Bottles
Number of 12 oz. Cans	556 Cans
Number of Dividers	5 Dividers
Number of Lids	3 Lids
Plug Type	NEMA 5-15P
Refrigerant Capacity	3.2 oz.
Refrigerant Type	R-290
Starting Amps	9.9 Amps
Starting Wattage	1008 Watts
Temperature Range	33 - 40 Degrees F

Plan View



Notes & Details

Keep bottles of beer, soda, or cider on hand at all times by storing them in this Avantco HBB-80-HC-S 80" bottle cooler! Maintaining temperatures from 33 to 40 degrees, the cooler provides 22.8 cu. ft. of interior storage to ensure that a wide supply of bottles are kept cold and ready for thirsty customers. It even features 5 epoxy-coated dividers inside to keep bottles organized and readily accessible. For your utmost convenience, 2 bottle opener / cap catchers are included with the unit. Just grab a beer, use the opener, and serve!

This unit is designed for outstanding durability to ensure that it withstands service through even your busiest days and nights. It features a sleek 430 stainless steel exterior and a painted aluminum interior. Three stainless steel lids open and close with ease, making for easy drink retrieval. Because they lock, the lids also secure your beverage selection, making sure that your supply is always safe.

This cooler guarantees optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Plus, the foamed-in-place polyurethane insulation adds rigidity and promotes proper temperature retention. This ensures that all beverages are held at the perfect serving temperature, which is maintained with a pre-programmed digital temperature controller. An auto-defrost function helps to make maintaining the cooler a breeze. This unit requires a 115V electrical connection for operation.



⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.

Avantco Refrigeration