

ltem#:	178SSPPT2		Project:	
<b>0</b> 1		Data		<b>A</b> I
Otv·		L)ate <sup>.</sup>		Approval:

## Avantco SSPPT-2 68" 2 Door Refrigerated Pizza Prep Table

Item#178SSPPT2







## **Technical Data**

Width	67 15/16 Inches
Depth	31 1/2 Inches
Height	43 13/16 Inches
Power Cord Length	98 1/2 Inches
Cutting Board Width	67 15/16 Inches
Interior Width	47 5/8 Inches
Left Door Opening Width	14 3/16 Inches
Nominal Width	68 Inches
Packaging Width	73 1/16 Inches
Right Door Opening Width	22 1/16 Inches

#### **Features**

- Top rail accommodates (8) 1/3 size, 6" deep food pans
- Cutting board built-in for convenient prep space
- Maintains temperatures between 33 and 40 degrees Fahrenheit
- Stainless steel exterior and interior; foamed-in-place polyurethane insulation
- R290 refrigerant; 115V; 1/4 hp

## **Certifications**



ETL Sanitation



ETL, US & Canada






# **Technical Data**

Shelf Width	23 1/8 Inches	
Cutting Board Depth	19 7/16 Inches	
Depth (with Cutting Board)	37 1/8 Inches	
Interior Depth	26 3/16 Inches	
Packaging Depth	36 5/8 Inches	
Shelf Depth	24 3/8 Inches	
Cutting Board Height	3/4 Inch	
Height with Lid Open	56 5/8 Inches	
Interior Height	22 7/8 Inches	
Packaging Height	45 7/8 Inches	
Work Surface Height	35 1/4 Inches	
Amps	4.8 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	480 Watts	
1/3 Size Pan Capacity	8 Pans	
Access Type	Doors	
BTU (LBP)	1285 BTU	
Capacity	16.3 cu. ft.	
Capacity (per Shelf)	88 lb.	
Compressor Style	Side / Rear Breathing	
Construction	Stainless Steel	
Door Style	Swing	
Door Type	Solid	
Features	Automatic Electric Defrost Digital Temperature Controller	
Horsepower	1/4 hp	
Insulation Material	Polyurethane Foam	
Material	Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Net Weight	419 lb.	
Number of Doors	2 Doors	
Number of Shelves	2 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	3.9 oz.	
Refrigerant Type	R-290	
Refrigeration Type	Air Cooled	
Shelf Material	Epoxy-Coated Steel	
Starting Amps	14.4 Amps	
Starting Wattage	1440 Watts	
Temperature Range	33 - 40 Degrees F	
Top Capacity	353 lb.	



#### **Plan View**



#### **Notes & Details**

Optimize your back-of-house operations with this Avantco SSPPT-2 68" 2 door refrigerated pizza prep table, and better keep up with customer demands. Whether used in a university, pizza parlor, or resort, this unit is sure to streamline the pizza preparation process with its convenient features and capacity. Its top rail, for instance, accommodates up to (8) 1/3 size food pans up to 6" deep (sold separately). These pans are great for holding common pizza toppings, from pepperoni and cheese to green pepper or ham. Plus, a lift-up lid encloses the pan rail to maintain proper, food safe temperatures. A full-length cutting board, which is 19 7/16" deep, is mounted to the table surface, providing a place for slicing ingredients and assembling pies. Divider bars are also included for ultimate convenience.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as sauce and dough, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 88 lb. of weight, helping to organize your assorted supplies.

The unit's 1/4 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit, ensures high-quality performance. It circulates R290 refrigerant, which is a specialized variant that has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The unit's construction is tailor made for commercial use. It features a 430 type stainless steel exterior and 304 type stainless steel interior, and it's fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. For operation, the prep table requires a 115V electrical connection.

**WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.