

ltem#:	178SSPT36HC		Project:	
Otv.		Date:		Annroval

## Avantco SS-PT-36-HC 36" 2 Door Stainless Steel Refrigerated Sandwich **Prep Table**

Item #178SSPT36HC







## **Technical Data**

Width	36 1/4 Inches
Depth	30 1/2 Inches
Height	42 3/8 Inches
Power Cord Length	84 Inches
Cutting Board Width	36 1/4 Inches
Interior Width	32 1/4 Inches
Left Door Opening Width	14 5/16 Inches
Nominal Width	36 Inches
Right Door Opening Width	14 5/16 Inches
Cutting Board Depth	10 1/2 Inches

### **Features**

- Top accommodates (10) 1/6 size, 6" deep food pans
- Industry-best 3/4" cutting board is built-in for convenient prep space and removable for cleaning
- Digital control with auto defrost
- Stainless steel exterior and interior; foamed-in-place polyurethane insulation
- 115V; 3/7 hp; 2 Amps; R290 refrigerant

#### Certifications



ETL, US & Canada



**ETL Sanitation** 






## **Technical Data**

23 3/4 Inches	
47 5/16 Inches	
23 1/2 Inches	
35 1/4 Inches	
2 Amps	
60 Hertz	
1 Phase	
115 Volts	
10 Pans	
Doors	
974 BTU	
9 cu. ft.	
With Casters	
Rear Mounted	
Side / Rear Breathing	
Stainless Steel	
Swing	
Solid	
Left/Right	
3/7 HP	
88 lb.	
2 Doors	
2 Shelves	
NEMA 5-15P	
4.1 oz.	
R-290	
Air Cooled	
Counter Height	
33 - 40 Degrees F	
33 - 40 Degrees F	
33 - 40 Degrees F Standard Top	

# Plan View





#### **Notes & Details**

Optimize your back-of-house operations with this Avantco SS-PT-36-HC 36" 2 door stainless steel refrigerated sandwich prep table, and better keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top, for instance, accommodates up to (10) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain proper, food safe temperatures. A full-length cutting board, which is 10 1/2" deep, is mounted to the table surface, providing a place for slicing ingredients and assembling orders.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 88 lb. of weight, helping to organize your assorted supplies. Divider bars are also included for ultimate convenience.

High-quality performance is made possible by the unit's 3/7 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. For operation, the prep table requires a 115V electrical connection.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.