Item #:	178SSPT48MA		Project:		
Qty:		Date:		Approval:	



Avantco SS-PT-48M-HC 48" 2 Door Mega Top Stainless Steel ADA Height **Refrigerated Sandwich Prep Table**

Item #178SSPT48MA





Features


- 2 1/2" casters make moving simple and bring the unit to an ADA-compliant working height
- Mega top accommodates (18) 1/6 size, 6" deep food pans (sold separately) •
- Industry-best 3/4" cutting board is built-in for convenient prep space and removable for cleaning
- Digital control with auto defrost •
- R-290 refrigerant; 115V; 1/4 hp

Certifications



•

ADA Compliant (5-15P ETL Sanitation




Technical Data

Width	46 3/4 Inches		
Depth	35 Inches		
Height	44 1/4 Inches		
Power Cord Length	84 Inches		
Interior Width	42 7/8 Inches		
Nominal Width	48 Inches		
Cutting Board Depth	8 Inches		
Interior Depth	23 3/4 Inches		
Interior Height	23 1/2 Inches		
Work Surface Height	33 5/8 Inches		



4.9 Amps		
1 Phase		
115 Volts		
490 Watts		
18 Pans		
Doors		
1285 BTU		
12 cu. ft.		
With Casters		
Silver		
Rear Mounted		
Side / Rear Breathing		
Stainless Steel		
Swing		
Solid		
ADA Compliant Removable Magnetic Door Gaskets		
Left Right		
1/4 HP		
2 Doors		
2 Shelves		
NEMA 5-15P		
R-290		
2 Sections		
2 Sections 14.7 Amps		
14.7 Amps		
14.7 Amps 1470 Watts		

Plan View





Notes & Details

Optimize your back-of-house operations with this Avantco SS-PT-48M-HC 48" 2 door mega top stainless steel refrigerated sandwich prep table, and better keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top, for instance, accommodates up to (18) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain proper, food safe temperatures. A full-length cutting board, which is 8" deep, is mounted to the table surface, providing a place for slicing ingredients and assembling orders.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 90 lb. of weight, helping to organize your assorted supplies. Divider bars are also included for ultimate convenience.

High quality performance is made possible by the unit's 1/4 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. For operation, the prep table requires a 115V electrical connection.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.