

| ltem#: | 178SSPT48MC |       | Project: |          |
|--------|-------------|-------|----------|----------|
| Otv.   |             | Date: |          | Annroval |

# Avantco SS-PT-48M-C 48" 2 Door Mega Top Stainless Steel Refrigerated Sandwich Prep Table with 10 1/2" Cutting Board

Item #178SSPT48MC







#### **Technical Data**

| Width                  | 46 3/4 Inches |  |
|------------------------|---------------|--|
| Depth                  | 37 1/2 Inches |  |
| Height                 | 45 7/8 Inches |  |
| Power Cord Length      | 84 Inches     |  |
| Cutting Board<br>Width | 46 1/2 Inches |  |
| Interior Width         | 42 7/8 Inches |  |
| Nominal Width          | 48 Inches     |  |
| Cutting Board<br>Depth | 11 1/2 Inches |  |
| Interior Depth         | 23 3/4 Inches |  |
| Interior Height        | 23 1/2 Inches |  |

#### **Features**

- Mega top accommodates (18) 1/6 size, 6" deep food pans
- Industry-best 3/4" cutting board is built-in for convenient prep space and removable for cleaning
- Digital control with auto defrost
- 4" casters make moving simple
- Uses R-290 refrigerant; 115V; 1/2 hp

#### Certifications





ETL Sanitation




ETL, US & Canada



### **Technical Data**

| Work Surface Height   | 35 1/4 Inches                   |  |
|-----------------------|---------------------------------|--|
| Amps                  | 4.9 Amps                        |  |
| Hertz                 | 60 Hertz                        |  |
| Phase                 | 1 Phase                         |  |
| Voltage               | 115 Volts                       |  |
| Wattage               | 490 Watts                       |  |
| 1/6 Size Pan Capacity | 18 Pans                         |  |
| Access Type           | Doors                           |  |
| BTU (LBP)             | 1285 BTU                        |  |
| Capacity              | 12 cu. ft.                      |  |
| Casters               | With Casters                    |  |
| Compressor Location   | Rear Mounted                    |  |
| Compressor Style      | Side / Rear Breathing           |  |
| Construction          | Stainless Steel                 |  |
| Door Style            | Swing                           |  |
| Door Type             | Solid                           |  |
| Features              | Removable Magnetic Door Gaskets |  |
| Hinge Location        | Left<br>Right                   |  |
| Horsepower            | 1/2 HP                          |  |
| Number of Doors       | 2 Doors                         |  |
| Number of Shelves     | 2 Shelves                       |  |
| Plug Type             | NEMA 5-15P                      |  |
| Refrigerant Type      | R-290                           |  |
| Starting Amps         | 14.7 Amps                       |  |
| Starting Wattage      | 1470 Watts                      |  |
| Style                 | Counter Height                  |  |
| Temperature Range     | 33 - 40 Degrees F               |  |
| Тор Туре              | Cutting Top<br>Mega Top         |  |
| Туре                  | Prep Refrigeration              |  |

## Plan View





#### **Notes & Details**

Optimize your back-of-house operations with this Avantco SS-PT-48M-C 48" 2 door stainless steel mega top refrigerated sandwich prep table, and better keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top, for instance, accommodates up to (18) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain proper, food safe temperatures. A full-length cutting board, which is 3/4" thick and 11 1/2" deep, is mounted to the table surface, providing a place for slicing ingredients and assembling orders. This mega top, industry-best cutting board is removable for easy cleaning at the end of the day.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 90 lb. of weight, helping to organize your assorted supplies.

High quality performance is made possible by the unit's 1/2 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. For operation, the prep table requires a 115V electrical connection.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.