

Item #: 178SSPT60AC Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco SS-PT-60-AC 60" ADA Height 2 Door Stainless Steel Cutting Top Refrigerated Sandwich Prep Table with Extra Deep Cutting Board

Item #178SSPT60AC



### Technical Data

Width	60 1/4 Inches
Depth	35 1/2 Inches
Height	40 7/8 Inches
Power Cord Length	84 Inches
Interior Width	56 1/4 Inches
Nominal Width	60 Inches
Cutting Board Depth	15 Inches
Interior Depth	23 3/4 Inches
Interior Height	23 1/2 Inches
Work Surface Height	33 3/4 Inches

### Features

- 2 1/2" casters make moving simple and bring the unit to an ADA-compliant working height
- Top accommodates (16) 1/6 size, 6" deep food pans (sold separately)
- Industry-best 3/4" cutting board is built-in for convenient prep space and removable for cleaning
- Digital control with auto defrost
- Uses R-290 refrigerant; 115V; 1/4 hp
- Note: only the refrigerated sandwich prep table holds the ETL certification

### Certifications



ADA Compliant



5-15P



ETL Sanitation




ETL, US & Canada

## Technical Data

Amps	5.4 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	540 Watts
1/6 Size Pan Capacity	16 Pans
Access Type	Doors
BTU (LBP)	1285 BTU
Capacity	15 cu. ft.
Casters	With Casters
Color	Silver
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Construction	Stainless Steel
Cutting Board Thickness	3/4 Inch
Door Style	Swing
Door Type	Solid
Features	ADA Compliant Removable Magnetic Door Gaskets
Hinge Location	Left Right
Horsepower	1/4 hp
Number of Doors	2 Doors
Number of Shelves	2 Shelves
Plug Type	NEMA 5-15P
Refrigerant Type	R-290
Starting Amps	16.2 Amps
Starting Wattage	1620 Watts
Style	ADA Height
Temperature Range	33 - 40 Degrees F
Top Type	Cutting Top Standard Top
Type	Prep Refrigeration

## Plan View





## Notes & Details

Optimize your back-of-house operations with this Avantco SS-PT-60-AC 60" 2 door stainless steel refrigerated sandwich prep table, and better keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top, for instance, accommodates up to (16) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain proper, food safe temperatures. An extra deep full-length cutting board, which is 15" deep to provide plenty of prep space, is mounted to the table surface but can be removed for thorough cleaning.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Two epoxy-coated shelves are included and can each accommodate up to 90 lb. of weight, helping to organize your assorted supplies.

High-quality performance is made possible by the unit's 1/4 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. 2 1/2" casters make moving simple for easy cleaning and bring the unit to an ADA-compliant working height. For operation, the prep table requires a 115V electrical connection.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).