

Item #: 178SSPT71HC Project: \_\_\_\_\_

Qty: \_\_\_\_\_ Date: \_\_\_\_\_ Approval: \_\_\_\_\_

## Avantco SS-PT-71-HC 70" 3 Door Stainless Steel Refrigerated Sandwich Prep Table

Item #178SSPT71HC



### Technical Data

Width	70 3/8 Inches
Depth	31 Inches
Height	42 3/8 Inches
Power Cord Length	84 Inches
Interior Width	66 1/2 Inches
Left Door Opening Width	19 5/16 Inches
Middle Door Opening Width	19 5/16 Inches
Nominal Width	72 Inches
Right Door Opening Width	19 5/16 Inches
Cutting Board Depth	11 1/2 Inches

### Features

- Top accommodates (18) 1/6 size, 6" deep food pans (sold separately)
- Industry-best 3/4" cutting board is built-in for convenient prep space and removable for cleaning
- Digital control with auto defrost
- Stainless steel exterior and interior; foamed-in-place polyurethane insulation
- 115V; 2/3 hp compressor; R290 refrigerant

### Certifications



ETL, US & Canada



5-15P




ETL Sanitation

## Technical Data

Interior Depth	23 3/4 Inches
Height with Lid Open	47 5/16 Inches
Interior Height	23 1/2 Inches
Work Surface Height	35 1/4 Inches
Amps	7.8 Amps
Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	780 Watts
1/6 Size Pan Capacity	18 Pans
Access Type	Doors
BTU (LBP)	2080 BTU
Capacity	18 cu. ft.
Capacity (per Shelf)	88 lb.
Casters	With Casters
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Construction	Stainless Steel
Door Style	Swing
Door Type	Solid
Features	Removable Magnetic Door Gaskets
Hinge Location	Left Right
Horsepower	3/5 hp
Number of Doors	3 Doors
Number of Shelves	3 Shelves
Plug Type	NEMA 5-15P
Refrigerant Capacity	3.9 oz.
Refrigerant Type	R-290
Refrigeration Type	Air Cooled
Starting Amps	23.4 Amps
Starting Wattage	2340 Watts
Style	Counter Height
Temperature Range	33 - 40 Degrees F
Top Type	Standard Top

## Plan View



1785SPT7HHC



## Notes & Details

Optimize your back-of-house operations with this Avantco SS-PT-71-HC 70" 3 door stainless steel refrigerated sandwich prep table, and better keep up with customer demands. Whether used in a university, sub shop, or hospital, the unit is sure to help streamline the sandwich prep process with its convenient features and capacity. Its top, for instance, accommodates up to (18) 1/6 size food pans up to 6" deep (sold separately). These are great for holding common sandwich or salad toppings, from eggs and cheese to green pepper or ham. Plus, a lift-up lid encloses the top to maintain proper, food safe temperatures. A full-length cutting board, which is 8" deep, is mounted to the table surface, providing a place for slicing ingredients and assembling orders.

Beneath the workspace is additional storage space. Because it's refrigerated, the space is great for storing back-up ingredients, such as deli meat and cheese, as well as less common toppings. Three epoxy-coated shelves are included and can each accommodate up to 88 lb. of weight, helping to organize your assorted supplies. At the end of the day, take advantage of the casters and roll the unit aside to thoroughly clean the area.

High quality performance is made possible by the unit's 2/3 hp refrigeration system, which maintains temperatures between 33 and 40 degrees Fahrenheit. It does this by circulating R290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

The construction of this unit is designed with commercial use in mind. It features a 430 type stainless steel exterior and 304 type stainless steel interior, which are fortified with foamed-in-place polyurethane insulation. The insulation also helps to promote proper temperature retention. 4" casters make moving simple for easy cleaning. For operation, the prep table requires a 115V electrical connection.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).