

| ltem#: | 178SSUC27FA |      | Project: |           |
|--------|-------------|------|----------|-----------|
|        |             |      |          |           |
| O+v.   |             | Data |          | Approvale |

## Avantco SS-UC-27F-HC 27" Stainless Steel ADA Height Undercounter **Freezer**

Item #178SSUC27FA







## **Technical Data**


| Width                  | 27 Inches     |  |
|------------------------|---------------|--|
| Depth                  | 29 1/2 Inches |  |
| Height                 | 33 5/8 Inches |  |
| Power Cord Length      | 84 Inches     |  |
| Interior Width         | 22 1/4 Inches |  |
| Interior Depth         | 22 7/8 Inches |  |
| Interior Height        | 23 1/2 Inches |  |
| Work Surface<br>Height | 33 5/8 Inches |  |
| Amps                   | 1.33 Amps     |  |
| Phase                  | 1 Phase       |  |

### **Features**

- 2 1/2" casters make moving simple for easy cleaning and bring the unit to an ADAcompliant working height
- Strong and sleek type 430 stainless steel exterior and type 304 stainless steel interior for maximum corrosion resistance
- Foamed-in-place polyurethane maintains temperatures from -8 to -1 degrees
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 1/3 hp; 1.33 Amps

#### Certifications










ETL Sanitation



# **Technical Data**

| Voltage             | 115 Volts  |  |
|---------------------|--|--|
| Access Type         | Doors  |  |
| BTU (LBP)           | 881 BTU  |  |
| Capacity            | 5.5 cu. ft.                                      |  |
| Compressor Location | Side Mounted                                     |  |
| Door Style          | Swing  |  |
| Door Type           | Solid  |  |
| Features            | ADA Compliant<br>Removable Magnetic Door Gaskets |  |
| Hinge Location      | Left   |  |
| Horsepower          | 1/3 HP   |  |
| Number of Doors     | 1 Doors  |  |
| Number of Shelves   | 1 Shelf  |  |
| Plug Type           | NEMA 5-15P                                       |  |
| Refrigerant Type    | R-290  |  |
| Style               | ADA Height                                       |  |
| Temperature Range   | -81 Degrees F                                    |  |
| Top Capacity        | 318 lb.  |  |
| Туре                | Freezers<br>Undercounter Freezers                |  |

## **Plan View**





#### **Notes & Details**

Make frozen food storage as convenient as possible with the Avantco 27" undercounter freezer. With a spacious freezer portion readily accessible through its single door, the unit opens up to a shelf to help you organize your ingredients and best utilize the 5.5 cu. ft. interior. Plus, because it accommodates up to 90 lb., the epoxy-coated steel shelf is well equipped for holding heavy bulk ingredients, from frozen broccoli and cauliflower to frozen pork chops.

This unit is designed for outstanding durability to ensure that it withstands tough, busy kitchen environments with ease. It features a 430 type stainless steel exterior, which provides both strength and a smooth, sleek appearance. The interior, made with 304 type stainless steel, also offers the durability necessary for heavy, regular use. Because of its undercounter design, the unit effortlessly adds frozen storage space beneath a pre-existing countertop and doesn't require additional space for its own footprint. For long-lasting quality assurance and peace of mind, this unit also comes with a 2 year Parts and Labor Warranty.

This freezer ensures optimal performance by operating with a 1/3 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from -8 to -1 degree Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps provide structural rigidity and maintain internal temperatures.

Operation of the freezer is easy, thanks to its special features. Monitor it by consulting the interior wall-mounted thermometer, and use the auto-defrost feature on the pre-programmed digital controller to maintain the freezer in tip-top shape. At the end of the day, take advantage of the casters and roll the unit aside to thoroughly clean the area. This undercounter freezer requires a 115V electrical connection for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.