

Item#:	178SSWT27FHC		Project:	
Otv:		Date:		Approval

## Avantco SS-WT-27F-HC 27" One Door Worktop Freezer with 3 1/2" **Backsplash**

Item#178SSWT27FHC







### **Technical Data**

Width	27 Inches
Depth	29 1/2 Inches
Height	38 3/4 Inches
Power Cord Length	84 Inches
Interior Width	22 1/4 Inches
Right Door Opening Width	22 1/4 Inches
Interior Depth	22 7/8 Inches
Interior Height	23 1/2 Inches
Work Surface Height	35 1/4 Inches
Amps	3.6 Amps

### **Features**

- Strong and sleek 430 type stainless steel exterior with 3 1/2" backsplash
- 304 type stainless steel interior
- Foamed-in-place polyurethane insulation
- Maintains cold temperatures from -8 to -1 degrees Fahrenheit
- 115V; 1/3 hp

#### Certifications



ETL, US




ETL Sanitation



# **Technical Data**

Hertz	60 Hz
Phase	1 Phase
Voltage	115 Volts
Wattage	235 Watts
Access Type	Doors
Backsplash	With Backsplash
BTU (LBP)	881 BTU
Capacity	5.5 cu. ft.
Capacity (per Shelf)	88 lb.
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Door Style	Swing
Door Type	Solid
Features	Removable Magnetic Door Gaskets With Backsplash
Features Hinge Location	Removable Magnetic Door Gaskets With Backsplash Right
	With Backsplash
Hinge Location	With Backsplash Right
Hinge Location Horsepower	With Backsplash Right 1/3 hp
Hinge Location Horsepower Number of Doors	With Backsplash Right 1/3 hp 1 Doors
Hinge Location Horsepower Number of Doors Number of Shelves	With Backsplash Right 1/3 hp 1 Doors 1 Shelf
Hinge Location  Horsepower  Number of Doors  Number of Shelves  Plug Type	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P
Hinge Location Horsepower Number of Doors Number of Shelves Plug Type Refrigerant Capacity	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P 2.3 oz.
Hinge Location Horsepower Number of Doors Number of Shelves Plug Type Refrigerant Capacity Refrigerant Type	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P 2.3 oz. R-290
Hinge Location  Horsepower  Number of Doors  Number of Shelves  Plug Type  Refrigerant Capacity  Refrigerant Type  Starting Amps	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P 2.3 oz. R-290 10.8 Amps
Hinge Location Horsepower Number of Doors Number of Shelves Plug Type Refrigerant Capacity Refrigerant Type Starting Amps Starting Wattage	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P 2.3 oz. R-290 10.8 Amps 705 Watts
Hinge Location Horsepower Number of Doors Number of Shelves Plug Type Refrigerant Capacity Refrigerant Type Starting Amps Starting Wattage Style	With Backsplash Right 1/3 hp 1 Doors 1 Shelf NEMA 5-15P 2.3 oz. R-290 10.8 Amps 705 Watts Counter Height

# **Plan View**





#### **Notes & Details**

Make food preparation as convenient as possible with the Avantco SS-WT-27F-HC 27" worktop freezer. With a spacious stainless steel worktop surface for slicing, dicing, assembling, mixing, and other food prep tasks, the unit features a  $3\,1/2$ " backsplash for wall protection and freezer storage space below. The freezer portion is readily accessible through the door, which opens up to a shelf that helps you organize your ingredients and best utilize the roomy interior. Plus, because it accommodates up to  $88\,lb$ , the epoxy coated steel shelf is well equipped for holding heavy bulk ingredients.

This unit is designed for outstanding durability to ensure that it withstands tough, busy kitchens with ease. It features a 430 type stainless steel exterior, which provides both strength and a smooth, sleek appearance. The interior, made with 304 type stainless steel, also offers the stability necessary for heavy, regular use.

This worktop freezer ensures optimal performance by operating with a 1/3 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from -8 to -1 degree Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation helps to maintain interior temperatures.

Operation of the freezer is easy, thanks to a variety of special freatures, including an interior wall-mounted thermometer, auto-defrost, and pre-programmed digital controller. At the end of the day, take advantage of the casters and roll the unit aside to thoroughly clean the area. This worktop freezer requires a 115V electrical connection for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.