

ltem#:	178SSWT72RA		Project:	
Otv:		Date:		Approval:

Avantco SS-WT-72R-HC 72" Three Door Stainless Steel ADA Height Worktop Refrigerator with 3 1/2" Backsplash

Item #178SSWT72RA







Technical Data

Width	71 1/2 Inches
Depth	29 1/2 Inches
Height	37 1/8 Inches
Power Cord Length	84 Inches
Interior Width	66 7/8 Inches
Interior Depth	22 7/8 Inches
Interior Height	23 1/2 Inches
Work Surface Height	33 5/8 Inches
Amps	1.33 Amps
Hertz	60 Hertz

Features

- 2 1/2" casters make moving simple for easy cleaning and bring the unit to an ADAcompliant working height
- Strong and sleek type 430 stainless steel exterior with 3 1/2" backsplash and type 304 stainless steel interior for maximum corrosion resistance
- Foamed-in-place polyurethane maintains temperatures from 33 to 40 degrees
- Easy-to-read digital temperature controller and auto-defrost function
- 115V; 1/3 hp; 1.33 Amps

Certifications







ADA Compliant




ETL Sanitation



Technical Data

Phase	1 Phase
Voltage	115 Volts
Access Type	Doors
Backsplash	With Backsplash
BTU (LBP)	881 BTU
Capacity	16.9 cu. ft.
Color	Silver
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Door Style	Swing
Door Type	Solid
Features	ADA Compliant Removable Magnetic Door Gaskets
Hinge Location	Left/Right
Horsepower	
•	1/3 HP
Number of Doors	1/3 HP 3 Doors
Number of Doors	3 Doors
Number of Doors Number of Shelves	3 Doors 3 Shelves
Number of Doors Number of Shelves Plug Type	3 Doors 3 Shelves NEMA 5-15P
Number of Doors Number of Shelves Plug Type Refrigerant Type	3 Doors 3 Shelves NEMA 5-15P R-290
Number of Doors Number of Shelves Plug Type Refrigerant Type Sections	3 Doors 3 Shelves NEMA 5-15P R-290 3 Sections

Plan View





Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco SS-WT-72R-HC 72" back bar refrigerator! Providing 7.8 cu. ft. of interior storage space, the unit houses one epoxy-coated shelf that accommodates up to 90 lb. The epoxy-coated steel shelf is perfect for storing and organizing drinks for your bar service, from bottles of ale to bottles of cider.

The interior, made of strong 304 type stainless steel, is accessible through the glass door. Because it's made of glass, the door provides excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. For overall durability, the unit's exterior is made with sleek stainless steel and is topped with a type 304 stainless steel surface. This unit also comes with a 2 year Parts and Labor Warranty for long-lasting quality assurance and peace of mind.

This back bar refrigerator ensures optimal performance by operating with a 1/3 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 -40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.