

Avantco UBB-1-HC 23" Black Solid Door Back Bar Refrigerator

Item #178UBB1HC




Technical Data

| | |
|-------------------------|-----------------|
| Width | 23 1/2 Inches |
| Depth | 30 3/4 Inches |
| Height | 38 3/4 Inches |
| Power Cord Length | 96 Inches |
| Interior Width | 19 1/2 Inches |
| Left Door Opening Width | 19 11/16 Inches |
| Packaging Width | 26 Inches |
| Shelf Width | 18 7/8 Inches |
| Interior Depth | 18 1/8 Inches |
| Nominal Depth | Standard |

Features

- 1 1/2" thick stainless steel countertop with stainless steel interior and black coated steel exterior
- Casters included provide easy mobility for cleaning and organizing kitchen and bar workflow
- One adjustable epoxy-coated steel shelf can accommodate up to 88 lb.
- Preprogrammed digital temperature controls featuring auto-defrost function for easy setup and maintenance
- 115V; 1/4 hp; R290 refrigerant; 1.1 Amps

Certifications






Technical Data

| | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Packaging Depth | 32 1/4 Inches |
| Shelf Depth | 23 7/8 Inches |
| Interior Height | 28 5/8 Inches |
| Packaging Height | 45 Inches |
| Amps | 1.1 Amps |
| Hertz | 60 Hertz |
| Phase | 1 Phase |
| Voltage | 115 Volts |
| Access Type | Doors |
| BTU (LBP) | 666 BTU |
| Capacity | 7.8 cu. ft. |
| Casters | With Casters |
| Compressor Location | Rear Mounted |
| Compressor Style | Side / Rear Breathing |
| Countertop Type | Stainless Steel |
| Door Style | Swing |
| Door Type | Solid |
| Exterior Finish | Black |
| Features | Automatic Electric Defrost Casters Digital Temperature Controller Food Rated Removable Magnetic Door Gaskets |
| Horsepower | 1/4 HP |
| Individual Shelf Capacity | 88 lb. |
| Insulation Material | Polyurethane Foam |
| Material | Black Coated Steel / Stainless Steel |
| Maximum Ambient Temperature | 90 Degrees F |
| Net Weight | 132 lb. |
| Number of 12 oz. Bottles | 105 Bottles |
| Number of 12 oz. Cans | 95 Cans |
| Number of Doors | 1 Doors |
| Number of Kegs | 1 Keg |
| Number of Shelves | 1 Shelf |
| Plug Type | NEMA 5-15P |
| Refrigerant Capacity | 2.1 oz. |
| Refrigerant Type | R-290 |
| Shelf Material | Epoxy-Coated Steel |
| Temperature Range | 33 - 40 Degrees F |
| Top Capacity | 176 lb. |
| Top Type | Counter Height |

Plan View



Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-1-HC 23" back bar refrigerator! Providing 7.8 cu. ft. of interior storage space, the unit houses one epoxy-coated shelf that accommodates up to 88 lb. The epoxy-coated steel shelf is perfect for storing and organizing drinks for your bar service, from bottles of ale to bottles of cider.

The interior, made of strong 304 type stainless steel, is accessible through the solid door. For overall durability, the unit's exterior is made with black coated steel and is topped with a type 304 stainless steel surface. This back bar refrigerator ensures optimal performance by operating with a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 -40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.