

| Item#: | 178UBB2HC |       | Project: |          |
|--------|-----------|-------|----------|----------|
| Otv:   |           | Date: |          | Approval |

## Avantco UBB-2-HC 59" Black Counter Height Solid Door Back Bar Refrigerator with LED Lighting

Item #178UBB2HC







### **Technical Data**

| Width                       | 58 7/8 Inches |
|-----------------------------|---------------|
| Depth                       | 27 3/4 Inches |
| Height                      | 36 1/4 Inches |
| Power Cord Length           | 106 Inches    |
| Interior Width              | 46 1/4 Inches |
| Left Door Opening<br>Width  | 21 1/2 Inches |
| Packaging Width             | 61 1/4 Inches |
| Right Door Opening<br>Width | 21 1/2 Inches |
| Shelf Width                 | 22 1/2 Inches |
| Interior Depth              | 21 7/8 Inches |

#### **Features**

- 1 1/2" thick stainless steel countertop with stainless steel interior and black coated steel exterior
- LED interior lighting
- Four adjustable epoxy-coated steel shelves can be removed to fit two 1/2 kegs
- Preprogrammed digital temperature controls featuring auto-defrost function for easy setup and maintenance
- 115V; 3/7 hp; 2 Amps; R290 refrigerant

#### Certifications



ETL, US



1

**ETL Sanitation** 




# **Technical Data**

| Nominal Depth               | Standard  |  |
|-----------------------------|---|--|
| Packaging Depth             | 30 1/2 Inches   |  |
| Shelf Depth                 | 21 1/2 Inches   |  |
| Interior Height             | 30 1/2 Inches   |  |
| Packaging Height            | 41 3/4 Inches   |  |
| Amps                        | 2 Amps  |  |
| Hertz                       | 60 Hertz  |  |
| Phase                       | 1 Phase   |  |
| Voltage                     | 115 Volts   |  |
| Access Type                 | Doors   |  |
| BTU (LBP)                   | 974 BTU   |  |
| Capacity                    | (2) 1/2 Kegs<br>19.4 cu. ft.  |  |
| Casters                     | Without Casters   |  |
| Compressor Location         | Side Mounted  |  |
| Countertop Type             | Stainless Steel   |  |
| Door Style                  | Swing   |  |
| Door Type                   | Solid   |  |
| Exterior Finish             | Black   |  |
| Features                    | Automatic Electric Defrost<br>Digital Temperature Controller<br>Food Rated<br>LED Lighting<br>Removable Magnetic Door Gaskets |  |
| Horsepower                  | 3/7 HP  |  |
| Individual Shelf Capacity   | 88 lb.  |  |
| Insulation Material         | Polyurethane Foam   |  |
| Material                    | Black Coated Steel / Stainless Steel  |  |
| Maximum Ambient Temperature | 90 Degrees F  |  |
| Net Weight                  | 254 lb.   |  |
| Number of 12 oz. Bottles    | 288 Bottles   |  |
| Number of 12 oz. Cans       | 256 Cans  |  |
| Number of Doors             | 2 Doors   |  |
| Number of Kegs              | 2 Kegs  |  |
| Number of Shelves           | 4 Shelves   |  |
| Plug Type                   | NEMA 5-15P  |  |
| Refrigerant Capacity        | 2.5 oz.   |  |
| Refrigerant Type            | R-290   |  |
| Shelf Material              | Epoxy-Coated Steel  |  |
| Temperature Range           | 33 - 40 Degrees F   |  |
| Top Capacity                | 353 lb.   |  |
| Тор Туре                    | Counter Height  |  |
|                             |   |  |



#### **Plan View**



#### **Notes & Details**

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-2-HC 59" counter height back bar refrigerator! Providing 19.4 cu. ft. of interior storage space, the unit fits up to (2) 1/2 kegs and houses four epoxy-coated shelves that each accommodate up to 88 lb. The interior is illuminated by bright LED lighting for optimal product visibility. The epoxy-coated steel shelves are perfect for storing and organizing drinks for your bar service, from bottles of ale to bottles of cider.

The interior, made of strong 304 type stainless steel, is accessible through two solid doors. For overall durability, the unit's exterior is made with black coated steel and is topped with a type 304 stainless steel surface. This back bar refrigerator ensures optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 -40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.