

Item#:	178UBB48SHCS		Project:		
Otv:		Date:		Approval	

# Avantco UBB-48S-HC 48" Stainless Steel Counter Height Narrow Sliding Glass Door Back Bar Refrigerator with LED Lighting

Item #178UBB48SHCS







# **Technical Data**

Width	48 3/4 Inches	
Depth	24 7/16 Inches	
Height	36 1/4 Inches	
Power Cord Length	106 Inches	
Interior Width	36 1/4 Inches	
Left Door Opening Width	16 Inches	
Packaging Width	51 1/4 Inches	
Right Door Opening Width	16 Inches	
Shelf Width	17 5/8 Inches	
Interior Depth	18 1/2 Inches	

### **Features**

- Strong and sleek stainless steel exterior with sliding glass doors
- Narrow design great for placement behind the bar to increase service efficiency
- Four adjustable epoxy-coated steel shelves can be removed to fit two 1/2 kegs
- Glass door and bright, LED lighting ensure easy product visibility and retrieval
- 115V; 3/7 hp; 2 Amps; R290 refrigerant

## Certifications





ETL Sanitation






# **Technical Data**

Nominal Depth	Narrow
Packaging Depth	27 1/2 Inches
Shelf Depth	18 1/8 Inches
Interior Height	30 1/2 Inches
Packaging Height	41 3/4 Inches
Amps	2 Amps
Hertz	60 Hertz
Phase	1 Phase
Voltage	115 Volts
Access Type	Doors
BTU (LBP)	974 BTU
Capacity	13 cu. ft.
Casters	Without Casters
Compressor Location	Side Mounted
Compressor Style	Side / Rear Breathing
Countertop Type	Stainless Steel
Door Style	Sliding
Door Type	Glass
Exterior Finish	Stainless Steel
Features	Automatic Electric Defrost Digital Temperature Controller Food Rated LED Lighting
Horsepower	3/7 HP
Individual Shelf Capacity	88 lb.
Individual Shelf Capacity Insulation Material	88 lb. Polyurethane Foam
Insulation Material	Polyurethane Foam
Insulation Material Material	Polyurethane Foam Stainless Steel
Insulation Material  Material  Maximum Ambient Temperature	Polyurethane Foam Stainless Steel 90 Degrees F
Insulation Material Material Maximum Ambient Temperature Net Weight	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb.
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors 2 Kegs
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs Number of Shelves	Polyurethane Foam Stainless Steel  90 Degrees F 231 lb.  196 Bottles 144 Cans 2 Doors 2 Kegs 4 Shelves
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs Number of Shelves Plug Type	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors 2 Kegs 4 Shelves NEMA 5-15P
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs Number of Shelves Plug Type Refrigerant Capacity	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors 2 Kegs 4 Shelves NEMA 5-15P 2.5 oz.
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs Number of Shelves Plug Type Refrigerant Capacity Refrigerant Type	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors 2 Kegs 4 Shelves NEMA 5-15P 2.5 oz. R-290
Insulation Material Material Maximum Ambient Temperature Net Weight Number of 12 oz. Bottles Number of 12 oz. Cans Number of Doors Number of Kegs Number of Shelves Plug Type Refrigerant Capacity Refrigerant Type Shelf Material	Polyurethane Foam Stainless Steel 90 Degrees F 231 lb. 196 Bottles 144 Cans 2 Doors 2 Kegs 4 Shelves NEMA 5-15P 2.5 oz. R-290 Epoxy-Coated Steel



#### **Plan View**



#### **Notes & Details**

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-4-HC 90" stainless steel counter height solid door back bar refrigerator! Providing 32.4 cu. ft. of interior storage space, the unit comes with six shelves that accommodate up to 88 lb. each or (4) 1/2 kegs total. They're even illuminated by bright LED lighting for optimal product visibility. The epoxy-coated steel shelves are perfect for storing and organizing heavy bulk ingredients for your bar service, from bottles of ale to bottles of cider. Plus, since the unit is rated to safely store food products, it provides versatility and helps you maximize the space you have available.

The interior, made of strong 304 type stainless steel, is accessible through three solid doors. For overall durability, the unit's exterior is made with stainless steel and is topped with a type 304 stainless steel surface.

This back bar refrigerator ensures optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all products held in the unit remain at cool temperatures and are ready for immediate service to customers!

Delivering ease of use and maintenance, the refrigerator is easy to adjust with a digital temperature controller and features automatic defrost. Overall, the unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <a href="https://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>.