

ltem#:	178UBB60SGTS		Project:	
Otv:		Date:		Approval:

Avantco UBB-60S-GT-S 60" Stainless Steel Underbar Height Narrow Sliding Glass Door Back Bar Refrigerator with Galvanized Top and LED Lighting

Item #178UBB60SGTS







Technical Data

Width	60 3/4 Inches	
Depth	24 7/16 Inches	
Height	34 1/4 Inches	
Power Cord Length	106 Inches	
Interior Width	48 1/4 Inches	
Left Door Opening Width	21 15/16 Inches	
Packaging Width	63 1/2 Inches	
Right Door Opening Width	21 15/16 Inches	
Shelf Width	23 5/8 Inches	
Interior Depth	18 1/2 Inches	

Features

- Galvanized steel top with stainless steel interior and stainless steel exterior
- LED interior lighting
- Four adjustable epoxy-coated steel shelves can be removed to fit two 1/2 kegs
- Glass doors and bright, LED lighting ensure easy product visibility and retrieval
- 115V; 3/7 hp; 2 Amps; R290 refrigerant

Certifications



5-15P





ETL Sanitation




Technical Data

Nominal Depth	Narrow	
Packaging Depth	27 1/2 Inches	
Shelf Depth	18 1/8 Inches	
Interior Height	29 Inches	
Packaging Height	41 3/4 Inches	
Amps	2 Amps	
Hertz	60 Hertz	
Phase	1 Phase	
Voltage	115 Volts	
Access Type	Doors	
BTU (LBP)	974 BTU	
Capacity	(2) 1/2 Kegs 17.3 cu. ft.	
Casters	Without Casters	
Compressor Location	Side Mounted	
Countertop Type	Galvanized Steel	
Door Style	Sliding	
Door Type	Glass	
Exterior Finish	Stainless Steel	
Features	Automatic Electric Defrost Digital Temperature Controller Food Rated LED Lighting	
Horsepower	3/7 HP	
Individual Shelf Capacity	88 lb.	
Insulation Material	Polyurethane Foam	
Material	Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Net Weight	276 lb.	
Number of 12 oz. Bottles	252 Bottles	
Number of 12 oz. Cans	192 Cans	
Number of Doors	2 Doors	
Number of Kegs	2 Kegs	
Number of Shelves	4 Shelves	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	2.5 oz.	
Refrigerant Type	R-290	
Shelf Material	Epoxy-Coated Steel	
Temperature Range	33 - 40 Degrees F	
Top Capacity	353 lb.	
Тор Туре	Below Counter	



Plan View



Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-72G-HC-S 73" counter height narrow depth stainless steel back bar refrigerator! Providing 21.6 cu. ft. of interior storage space, the unit comes with six shelves that accommodate up to 88 lb. each or (3) 1/2 kegs total. They're even illuminated by bright LED lighting for optimal product visibility. The epoxy-coated steel shelves are perfect for storing and organizing heavy bulk ingredients for your bar service, from bottles of ale to bottles of cider. Plus, with a narrow depth design, the unit fits in spaces other units can't, helping you to maximize the space you have available.

The interior, made of strong 304 type stainless steel, is accessible through three glass doors. Because they're made of glass, the doors provide excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. For overall durability, the unit's exterior is made with stainless steel and is topped with a type 304 stainless steel surface. This unit also comes with a 2 year Parts and Labor Warranty for long-lasting quality assurance and peace of mind.

This back bar refrigerator ensures optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33 to 40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.