

Item #: 178UBB72GTG Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco UBB-72-GT-G 73" Black Underbar Height Narrow Glass Door Back Bar Refrigerator with Galvanized Top and LED Lighting

Item #178UBB72GTG



Technical Data

| | |
|---------------------------|--------------------|
| Width | 72 3/4 Inches |
| Depth | 24 7/16 Inches |
| Height | 34 13/16 Inches |
| Power Cord Length | 106 Inches |
| Interior Width | 60 1/8 Inches |
| Left Door Opening Width | 17 13/16 Inches |
| Middle Door Opening Width | 17 13/16 Inches |
| Packaging Width | 75 1/4 Inches |
| Right Door Opening Width | 17 13/16 Inches |
| Shelf Width | 19 - 20 1/2 Inches |

Features

- Galvanized steel top with stainless steel interior and black coated steel exterior
- LED interior lighting
- Six adjustable epoxy-coated steel shelves can be removed to fit three 1/2 kegs
- Glass door and bright, LED lighting ensure easy product visibility and retrieval
- 115V; 3/7 hp; R290 refrigerant

Certifications



ETL, US



5-15P




ETL Sanitation

Technical Data

| | |
|-----------------------------|--|
| Interior Depth | 18 1/2 Inches |
| Nominal Depth | Narrow |
| Packaging Depth | 27 1/2 Inches |
| Shelf Depth | 18 1/8 - 18 1/4 Inches |
| Interior Height | 29 Inches |
| Packaging Height | 41 3/4 Inches |
| Amps | 3.5 Amps |
| Hertz | 60 Hz |
| Phase | 1 Phase |
| Voltage | 115 Volts |
| Wattage | 325 Watts |
| Access Type | Doors |
| BTU (LBP) | 974 BTU |
| Capacity | (3) 1/2 Kegs 21.6 cu. ft. |
| Capacity (per Shelf) | 88 lb. |
| Compressor Location | Side Mounted |
| Countertop Type | Galvanized Steel |
| Door Style | Swing |
| Door Type | Glass |
| Exterior Finish | Black |
| Features | Automatic Electric Defrost Digital Temperature Controller Food Rated LED Lighting Locking Doors Magnetic Door Gaskets |
| Horsepower | 3/7 hp |
| Insulation Material | Polyurethane Foam |
| Material | Black Coated Steel / Stainless Steel |
| Maximum Ambient Temperature | 90 Degrees F |
| Net Weight | 331 lb. |
| Number of 12 oz. Bottles | 308 Bottles |
| Number of 12 oz. Cans | 252 Cans |
| Number of Doors | 3 Doors |
| Number of Kegs | 3 Kegs |
| Number of Shelves | 6 Shelves |
| Plug Type | NEMA 5-15P |
| Refrigerant Capacity | 2.5 oz. |
| Refrigerant Type | R-290 |
| Shelf Material | Epoxy-Coated Steel |
| Starting Amps | 10.5 Amps |
| Starting Wattage | 975 Watts |
| Temperature Range | 33 - 40 Degrees F |
| Top Capacity | 353 lb. |
| Top Type | Below Counter |

Plan View



Notes & Details

Optimize the space behind your bar by adding refrigerated storage with this Avantco UBB-72-GT-G 73" back bar refrigerator! Providing 21.6 cu. ft. of interior storage space, the unit houses 6 epoxy-coated steel shelves that accommodate up to 88 lb. each. The epoxy-coated steel shelves are perfect for storing and organizing drinks for your bar service, from bottles of ale to bottles of cider.

The galvanized top design is ideal for low height, built-in bars with existing cabinetry. The interior, made of strong 304 type stainless steel, is accessible through 3 glass doors. Because it's made of glass, the door provides excellent product visibility, enabling you to easily view your current drink or ingredient selection for efficient drink preparation. For overall durability, the unit's exterior is made with black coated steel.

This back bar refrigerator ensures optimal performance by operating with a 3/7 hp refrigeration system that circulates R290 hydrocarbon refrigerant to maintain temperatures from 33-40 degrees Fahrenheit. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. The foamed-in-place polyurethane insulation provides the refrigerator with additional structural integrity and ensures that all beverages held in the unit remain at cool temperatures and are ready for immediate service to customers! The unit requires a 115V electrical connection for operation and even comes with adjustable feet for simple, convenient leveling.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.