

Item #: 178UDD1HCS Project: _____

Qty: _____ Date: _____ Approval: _____

Avantco UDD-1-HC-S Single Tap Kegerator Beer Dispenser - Stainless Steel, (1) 1/2 Keg Capacity

Item #178UDD1HCS



Technical Data

| | |
|-------------------------|-----------------|
| Width | 23 1/2 Inches |
| Depth | 30 1/4 Inches |
| Height | 39 3/4 Inches |
| Power Cord Length | 108 Inches |
| Interior Width | 19 1/2 Inches |
| Left Door Opening Width | 19 11/16 Inches |
| Packaging Width | 26 Inches |
| Interior Depth | 18 1/8 Inches |
| Nominal Depth | Standard |
| Packaging Depth | 32 1/4 Inches |

Features

- Holds (1) 1/2 keg
- 1 tap tower with a 10 1/4" faucet height
- Digital controls for easy-to-read temperature display
- Includes (1) "D" system keg coupler
- 115V; 1/4 hp compressor uses R290 hydrocarbon refrigerant; 1.1 Amps

Certifications



ETL, US



5-15P




ETL Sanitation



Technical Data

| | |
|----------------------|--|
| Faucet Height | 10 1/4 Inches |
| Interior Height | 28 5/8 Inches |
| Overall Height | 55 3/4 Inches |
| Packaging Height | 45 Inches |
| Tap Tower Height | 16 Inches |
| Tap Tower Diameter | 3 Inches |
| Amps | 1.1 Amps |
| Hertz | 60 Hertz |
| Phase | 1 Phase |
| Voltage | 115 Volts |
| BTU (LBP) | 666 BTU |
| Capacity | (1) 1/2 Kegs |
| Compressor Location | Rear Mounted |
| Door Type | Solid |
| Exterior Finish | Stainless Steel |
| Features | Automatic Electric Defrost Casters Digital Temperature Controller Removable Magnetic Door Gaskets |
| Horsepower | 1/4 HP |
| Insulation Material | Polyurethane Foam |
| Material | Stainless Steel |
| Net Volume | 7 4/5 cu. ft. |
| Net Weight | 132 lb. |
| Number of Doors | 1 Doors |
| Number of Kegs | 1 Keg |
| Number of Shelves | 0/0 Shelves |
| Number of Taps | 1 Tap |
| Plug Type | NEMA 5-15P |
| Refrigerant Capacity | 2.1 oz. |
| Refrigerant Type | R-290 |
| Style | 1/2 Barrel |
| Temperature Range | 33 - 40 Degrees F |
| Top Capacity | 176 lb. |
| Type | Kegerators / Beer Dispensers |

Plan View



Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-1-HC-S triple tap beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features a triple tap tower with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It holds (1) 1/2 keg, (2) 1/4 kegs, or (4) 1/6 barrel kegs, and features 1 solid door that will not only self-close to prevent potential energy loss, but also lock to prevent theft during off hours.

Unlike many competitive beer dispensers, this model ships with a coupler so that you can tap kegs right out of the box! This commercial kegerator features a sleek stainless steel finish and a 1 1/2" thick stainless steel top that is both durable and extremely simple to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. A 115V electrical connection is required for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.