

Item#:	178UDD1S3		Project:	
O+. "		Data		Ammonali

Avantco UDD-1-HC-S Triple Tap Kegerator Beer Dispenser - Stainless Steel, (1) 1/2 Keg Capacity

Item #178UDD1S3







Technical Data

22.1/2 Inches	
23 1/2 Inches	
30 1/4 Inches	
39 3/4 Inches	
108 Inches	
19 1/2 Inches	
18 1/8 Inches	
Standard	
10 1/4 Inches	
28 5/8 Inches	
16 Inches	

Features

- Durable and attractive stainless steel exterior
- (1) 3-tap tower with a 10 1/4" faucet height
- Digital controls for easy-to-read temperature display
- Includes (3) "D" system keg couplers and keg mats
- 115V; 1/4 hp compressor; R290 refrigerant; 1.1 Amps

Certifications





ETL Sanitation




Technical Data

Tap Tower Diameter	3 Inches	
Amps		
	1.1 Amps	
Hertz	60 Hertz	
Phase	1 Phase	
Voltage	115 Volts	
Capacity	7.8 cu. ft.	
Casters	With Casters	
Compressor Location	Rear Mounted	
Door Type	Solid	
Exterior Finish	Stainless Steel	
Features	Casters Removable Magnetic Door Gaskets	
Horsepower	1/4 HP	
Number of Doors	1 Doors	
Number of Kegs	1 Keg	
Number of Taps	3 Taps	
•	3 laps	
Plug Type	NEMA 5-15P	
Plug Type	NEMA 5-15P	
Plug Type Refrigerant Type	NEMA 5-15P R-290	



Plan View



Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-2-HC-S beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features a 2 tap tower with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It holds (2) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from, and it even comes with 2 shelves for optional bottle or can storage while concealing the product behind 2 solid doors. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours.

Unlike many competitive beer dispensers, this model ships with "D" system couplers. It features a sleek stainless steel exterior and a 304 type stainless steel interior that is both durable and easy to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. A 115V electrical connection is required for operation.



▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.p65warnings.ca.gov.