

| Item #: | 178UDD2S3 | | Project: | |
|---------|-----------|------|----------|-----------|
| Ot. " | | Data | | Ammoniali |

Avantco UDD-2-HC-S Triple Tap Kegerator Beer Dispenser - Stainless Steel, (2) 1/2 Keg Capacity

Item#178UDD2S3







Technical Data

| Width | 58 7/8 Inches | | |
|-------------------|---------------|--|--|
| Depth | 27 3/4 Inches | | |
| Height | 35 5/8 Inches | | |
| Power Cord Length | 108 Inches | | |
| Interior Width | 46 1/4 Inches | | |
| Interior Depth | 21 7/8 Inches | | |
| Nominal Depth | Standard | | |
| Faucet Height | 10 1/4 Inches | | |
| Interior Height | 30 1/2 Inches | | |
| Tap Tower Height | 16 Inches | | |

Features

- 2 shelves included for optional bottle and can storage for increased versatility
- (1) 3-tap tower with a 10 1/4" faucet height
- Energy efficient LED interior lighting
- Includes (3) "D" system couplers and keg mats
- 115V; 3/7 hp; R290 refrigerant
- Note: only the kegerator holds the ETL certification

Certifications





ETL, US




ETL Sanitation




Technical Data

| Tap Tower Diameter | 3 Inches | |
|---------------------|-------------------------------------------------|--|
| Amps | 3.5 Amps | |
| Hertz | 60 Hz | |
| Phase | 1 Phase | |
| Voltage | 115 Volts | |
| Wattage | 325 Watts | |
| Compressor Location | Left Side Mounted | |
| Door Type | Solid | |
| Exterior Finish | Stainless Steel | |
| Features | LED Lighting Removable Magnetic Door Gaskets | |
| Horsepower | 3/7 hp | |
| Number of Doors | 2 Doors | |
| Number of Kegs | 2 Kegs | |
| Number of Shelves | 2 Shelves | |
| Number of Taps | 3 Taps | |
| Plug Type | NEMA 5-15P | |
| Refrigerant Type | R-290 | |
| Starting Amps | 10.5 Amps | |
| Starting Wattage | 975 Watts | |
| Style | 1/2 Barrel | |
| Top Capacity | 353 lb. | |
| Туре | Kegerators / Beer Dispensers | |

Plan View







Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-378-HC-S beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features 2 double tap towers with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It holds (4) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from, and it even comes with four shelves for optional bottle or can storage. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours. This unit is equipped with knockout plugs to install external CO2 lines.

Unlike many competitive beer dispensers, this model ships with "D" system couplers so that you can tap kegs right out of the box! This commercial kegerator features a sleek stainless steel finish and a 1 1/2" thick stainless steel top that is both durable and extremely simple to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 3/7 hp refrigeration system that circulates R-290 hydrocarbon refrigerant. R-290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3, making it an energy-efficient choice for your business. A 115V electrical connection is required for operation.

▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.