

Item#:	178UDD36HC		Project:	
Otv:		Date:		Approval

Avantco UDD-36-HC 36" Black Double Tap Kegerator Beer Dispenser - (1) 1/2 Keg Capacity

Item#178UDD36HC







Technical Data

Width	36 13/16 Inches	
Depth	24 3/8 Inches	
Height	35 5/8 Inches	
Power Cord Length	108 Inches	
Interior Width	24 1/4 Inches	
Left Door Opening Width	24 1/16 Inches	
Packaging Width	39 1/8 Inches	
Shelf Width	23 3/5 Inches	
Depth with Door Open	49 Inches	
Interior Depth	18 1/2 Inches	

Features

- Thick stainless steel countertop with stainless steel interior and black coated steel exterior
- LED interior lighting
- Includes (2) "D" system keg couplers
- Two adjustable epoxy-coated steel shelves can be removed to fit one $1/2 \, \text{keg}$
- 115V; 1/4 hp; R290 refrigerant

Certifications





ETL Sanitation



ETL, US




Technical Data

Nominal Depth	Standard	
Packaging Depth	27 1/2 Inches	
Shelf Depth	17 9/10 Inches	
Faucet Height	10 1/4 Inches	
Interior Height	30 1/2 Inches	
Packaging Height	41 3/4 Inches	
Tap Tower Height	16 Inches	
Tap Tower Diameter	3 Inches	
Amps	3 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	280 Watts	
Capacity	(1) 1/2 Kegs 7.75 cu. ft.	
Capacity (per Shelf)	88 lb.	
Casters	Without Casters	
Compressor Location	Left Side Mounted	
Compressor Style	Side / Rear Breathing	
Countertop Type	Stainless Steel	
Door Style	Swing	
Door Type	Solid	
Exterior Finish	Black	
Features	LED Lighting Removable Magnetic Door Gaskets Self-Closing Doors	
Horsepower	1/4 hp	
Insulation Material	Polyurethane Foam	
Material	Black Coated Steel / Stainless Steel	
Maximum Ambient Temperature	90 Degrees F	
Number of 12 oz. Bottles	126 Bottles	
Number of 12 oz. Cans	96 Cans	
Number of Doors	1 Doors	
Number of Kegs	1 Keg	
Number of Shelves	2 Shelves	
Number of Taps	2 Taps	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	2.5 oz.	
Refrigerant Type	R-290	
Shelf Material	Epoxy-Coated Steel	
Starting Amps	9 Amps	
Starting Wattage	840 Watts	
Style	1/2 Barrel	
Temperature Range	33 - 40 Degrees F	
Туре	Kegerators / Beer Dispensers	



Plan View



Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-36-HC-S 36" black double tap kegerator beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features a double tap tower with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between.

It holds (1) 1/2 keg and even comes with (2) 23 11/16" x 17 15/16" shelves for optional bottle or can storage. The epoxy-coated steel shelves are perfect for storing and organizing beverages for your bar service, from bottles of ale and beer to cans of crisp ciders. The solid door is not only self-closing to prevent potential energy loss, but also locks to prevent theft during off hours. This unit is equipped with knockout plugs to install external CO2 lines.

Unlike many competitive beer dispensers, this model ships with "D" system couplers so that you can tap kegs right out of the box! This commercial kegerator features a black coated steel exterior, a 201 type stainless steel interior, and a thick stainless steel top that is both durable and extremely simple to clean. A built-in drip tray further expedites end-of-day cleaning.

This unit has a 1/4 hp refrigeration system that circulates R290 hydrocarbon refrigerant. R290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. A 115V electrical connection is required for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.