Item #:	178UDD3CT		Project:		
Qty:		Date:		Approval:	



Avantco UDD-3-CT Black Kegerator / Beer Dispenser with (2) Double Tap Tower and Club Top - (3) 1/2 Keg Capacity

Item #178UDD3CT







Technical Data

Width	69 1/8 Inches	
Depth	27 3/4 Inches	
Height	37 3/16 Inches	
Power Cord Length	108 Inches	
Interior Width	56 1/2 Inches	
Left Door Opening Width	21 1/2 Inches	
Right Door Opening Width	21 1/2 Inches	
Interior Depth	217/8 Inches	
Interior Height	30 1/2 Inches	
Amps	4.3 Amps	

Features

- 3 shelves included for optional bottle or can storage for increased versatility •
- 2 self-closing, locking doors to protect inventory •
- Club top provides an extra storage compartment
- Includes (4) "D" system couplers •
- 115V; 1/3 hp; R-290 refrigerant

Certifications






ETL Sanitation



	Technical Data	
	Hertz	60 Hertz
	Phase	1 Phase
	Voltage	115 Volts
	Wattage	400 Watts
	BTU (LBP)	660 BTU
	Color	Black


Watage400 WatisBTU (LBP)640 BTUColorBlackCompressor LocationLeft Side MountedConstrutionStainless SteelDoor TypeSolidFaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Mumber of Loca Canso320 CansNumber of Loca Canso320 CansNumber of Loca Canso320 CansNumber of Shelves35 helvesNumber of Shelves35 helvesNumber of Taps4 TapsPlur TypeNEMAS 15PRefrigerant Capacity30 caStaitel Steel TypeTapo 304Staitel Steel Type12.9Staitel Steel Type12.9Starting Magnetic Data Canso12.9Starting Magnetic Data Canso12.9Starting Magnetic Data Canso12.9Starting Magnetic Data Canso12.9Starting Matage12.00 WattsStarting Matage12.00 Watts<	Voltage	115 Volts		
ColorBlackCompressor LocationLeft Side MountedConstructionStainless SteelDoor TypeSolidFeaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles320 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3ozRefrigerant TypeRe290Stating Amps12.9Starting Amps12.9Starting Mattage1200 WattsStyle1/2 Barrel	Wattage	400 Watts		
Compressor LocationLeft Side MountedConstructionStainless SteelDoor TypeSolidFeaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles320 CansNumber of 12 oz. Cans320 CansNumber of Kegs3 KegsNumber of Kegs3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant Type12.9Statinless Steel Type12.9Stating Amps12.00 WattsStyle1/2 Barrel	BTU (LBP)	660 BTU		
ConstructionStainless SteelDoor TypeSolidFeaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles320 CansNumber of 12 oz. Cans320 CansNumber of Megs3 KegsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of TapsVEMA 5-15PRefrigerant CapacityRe290Stainless Steel TypeType 304Stating Amps12.9Starting Mattage1200 WattsStyle122 Barrel	Color	Black		
Door TypeSolidFeaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles320 CansNumber of 12 oz. Cans320 CansNumber of Moors2 DoorsNumber of Kegs3 ShelvesNumber of Taps3 ShelvesNumber of Taps3 ShelvesPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Steinless Steel Type7ype 304Starting Amps12.9Starting Mattage1200 WattsStyle1/2 Barrel	Compressor Location	Left Side Mounted		
FeaturesRemovable Magnetic Door GasketsHorsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles235 BottlesNumber of 12 oz. Cans20 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant TypeScaleStainless Steel TypeType 304Starting Amps12.00 WattsStyle1/2 Barrel	Construction	Stainless Steel		
Horsepower1/3 HPIndividual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles235 BottlesNumber of 12 oz. Cans320 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Stanting Amps12.9Starting Amps1200 WattsStyle1/2 Barrel	Door Type	Solid		
Individual Shelf Capacity88 lb.Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles235 BottlesNumber of 12 oz. Cans320 CansNumber of Doors2 DoorsNumber of Shelves3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeType 304Starting Amps12.9Starting Amps1200 WattsStyle1/2 Barrel	Features	Removable Magnetic Door Gaskets		
Maximum Ambient Temperature90 Degrees FNumber of 12 oz. Bottles235 BottlesNumber of 12 oz. Cans320 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Starting Amps12.9Starting Mattage1200 WattsStyle1/2 Barrel	Horsepower	1/3 HP		
Number of 12 oz. Bottles235 BottlesNumber of 12 oz. Cans320 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Starting Amps12.9Starting Muttage1200 WattsStyle1/2 Barrel	Individual Shelf Capacity	88 lb.		
Number of 12 oz. Cans320 CansNumber of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Maximum Ambient Temperature	90 Degrees F		
Number of Doors2 DoorsNumber of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Statinless Steel Type12.9Starting Amps12.00 WattsStyle1/2 Barrel	Number of 12 oz. Bottles	235 Bottles		
Number of Kegs3 KegsNumber of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Stainless Steel Type12.9Starting Amps12.00 WattsStyle1/2 Barrel	Number of 12 oz. Cans	320 Cans		
Number of Shelves3 ShelvesNumber of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Number of Doors	2 Doors		
Number of Taps4 TapsPlug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Number of Kegs	3 Kegs		
Plug TypeNEMA 5-15PRefrigerant Capacity3 oz.Refrigerant TypeR-290Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Number of Shelves	3 Shelves		
Refrigerant Capacity3 oz.Refrigerant TypeR-290Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Number of Taps	4 Taps		
Refrigerant TypeR-290Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Plug Type	NEMA 5-15P		
Stainless Steel TypeType 304Starting Amps12.9Starting Wattage1200 WattsStyle1/2 Barrel	Refrigerant Capacity	3 oz.		
Starting Amps 12.9 Starting Wattage 1200 Watts Style 1/2 Barrel	Refrigerant Type	R-290		
Starting Wattage 1200 Watts Style 1/2 Barrel	Stainless Steel Type	Туре 304		
Style 1/2 Barrel	Starting Amps	12.9		
	Starting Wattage	1200 Watts		
Type Club Top Beer Dispensers	Style	1/2 Barrel		
	Туре	Club Top Beer Dispensers		

Plan View





TOP VIEW





Notes & Details

Whether you operate a pub, banquet hall, catering service, or facilitate other special events, this Avantco UDD-3-CT black beer dispenser is an excellent way to offer crisp, refreshing draft beer to your guests without investing in a complex built-in tap system! This unit features (2) double tap towers with a 10 1/4" faucet height that allows you to easily fill pint glasses and pitchers with local microbrews, international macrobrews, and everything in between. It also features a club top, which provides an extra storage compartment for chilling additional beer bottles or other single-serve bottles. Or use this compartment to store garnishes to keep them close and fresh!

This dispenser holds (3) 1/2 kegs so you can stock up on one brew or offer customers a selection to choose from. It even comes with 3 shelves for optional bottle or can storage while concealing the product behind 2 solid doors. The doors themselves are not only self-closing to prevent potential energy loss, but also lock to prevent theft during off hours.

Unlike many competitive beer dispensers, this model ships with "D" system couplers so that you can tap kegs right out of the box! This commercial kegerator features a black coated steel exterior and a 304 type stainless steel interior that is both durable and easy to clean, while a built-in drip tray further expedites end-of-day cleaning. It has a 1/3 hp refrigeration system that circulates R-290 hydrocarbon refrigerant. R-290 refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. A 115V electrical connection is required for operation.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to <u>www.p65warnings.ca.gov</u>.