Item #:	360CPT54		Project:	
Qty:		Date:		Approval:



Item #360CPT54



REFRIGERATION





Technical Data

Width	55 1/8 Inches	
Depth	15 5/8 Inches	
Height	11 1/8 Inches	
Power Cord Length	60 Inches	
Height with Lid Open	23.809999465942383 Inches	
Amps	1.3 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	
Wattage	100 Watts	

Features

- Holds up to (6) 1/3 size or (12) 1/6 size food pans (sold separately)
- Lift-up lid for easy access and food safety
- Made of durable type 201 stainless steel for corrosion-resistance with built-in non-scratch feet
- Temperature range of 32 to 40 degrees Fahrenheit; electronic thermostat with digital display
- Uses R600a refrigerant; 115V; 1/10 hp

Certifications





ETL, US & Canada



1/3 Size Pan Capacity	6 Pans	
1/6 Size Pan Capacity	12 Pans	
BTU (LBP)	403 BTU	
Color	Silver	
Compressor Location	Right Side Mounted	
Horsepower	1/10 hp	
Lid Type	Stainless Steel	
Maximum Ambient Temperature	109 Degrees F	
Number of Compartments	6 - 12 Compartments	
Plug Type	NEMA 5-15P	
Refrigerant Capacity	0.7 oz.	
Refrigerant Type	R-600a	
Stainless Steel Type	Туре 201	
Starting Amps	4 Amps	
Starting Wattage	367 Watts	
Temperature Control	Digital	
Temperature Range	32 - 40 Degrees F	
Total BTU	403 BTU	

Plan View







Notes & Details

Keep all your essential ingredients and prep items nearby with this Avantco CPT-54 54" refrigerated countertop prep rail. Perfect for storing items such as sliced tomatoes, pickles, relish, onions, and lettuce, this unit increases the ease of prep work. It ensures the condiments, sandwich toppings, or salad ingredients are kept at the appropriate temperature but still close at hand.

If you need a prep station for your restaurant or cafe, this prep rail is a great choice! It offers the cold storage area you need for your condiments but can be placed on your own countertop. This is especially important if you don't have the budget or the space for a full prep refrigerator. This model can hold a total of (6) 1/3 size or (12) 1/6 size food pans (sold separately) and comes with pan support bars. With removable dividers, you have the option to customize this prep rail to best suit the needs of your establishment. Additionally, a stainless steel hinged cover can be closed to prevent loss of temperature and protect against airborne contaminants.

Exterior and interior type 201 stainless steel construction ensures long-lasting durability and corrosion resistance. Non-scratch plastic feet provide stability and keep it from sliding or leaving marks on your countertop. A selfcontained refrigeration system uses R600a refrigerant, providing reliable and even cooling throughout the unit. R600a refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3.

This unit has an integrated electronic thermostat that allows you to set the temperature between 32 and 40 degrees Fahrenheit. Its external digital LED panel displays the set temperature so you can make sure that it is always set at the correct holding temperature for your food. This unit requires a 115V electrical connection for operation and includes a 60" cord.

This unit should only be used during operational hours to maintain the cold temperature of pre-chilled food. It should not be used for continuous or long-term storage, but rather maintained with daily emptying and cleaning.

A WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.