

Item #:	360DFF20HCL		Project:	
O+v.		Data		Approvale

Avantco DFF20-HCL 70 7/8" Customizable Flat Top Display Ice Cream **Freezer**

Item#360DFF20HCL







Technical Data

Width	70 7/8 Inches	
Depth	28 1/8 Inches	
Height	34 1/2 Inches	
Power Cord Length	71 Inches	
Interior Width	65 Inches	
Interior Depth	21 1/4 Inches	
Interior Height	26 1/8 Inches	
Amps	4 Amps	
Hertz	60 Hz	
Phase	1 Phase	

Features

- Durable white powder-coated steel exterior with painted steel interior
- Flat locking glass lids let you see interior contents while securing them from theft
- Comes with 6 freezer baskets for efficient organization
- Bright, cool LED lighting shows off ice cream, frozen treats, and novelties
- R-290 refrigerant; 115V, 2/3 hp

Certifications








ETL Sanitation 5-15P Customizable



Technical Data

Voltage	115 Volts	
Basket Capacity	6	
Cabinet Type	Merchandising	
Capacity	20 cu. ft.	
Casters	With Casters	
Color	White	
Compressor Location	Bottom Mounted	
Door Style	Sliding	
Door Type	Glass	
Features	Customizable	
Front Style	Curved	
Horsepower	2/3 hp	
Lid Type	Flat	
Number of Doors	2 Doors	
Refrigerant Type	R-290	
Shape	Rectangle	
Temperature Range	-84 Degrees F	
Total BTU	1775 BTU	
Туре	Freezers	
Usage	Ice Cream	

Plan View



Notes & Details

Add ice cream or frozen treats and novelties to your business and boost impulse sales with the help of this Avantco DFF20-HCL 70 7/8" flat top display ice cream freezer. Thanks to a spacious interior and DOE ice cream approval, this freezer is an excellent choice for convenience stores, diners, and markets. The locking glass lids protect your cold treats during off hours, while the crystal clear visibility and LED lighting show off the products within.

This freezer's front-facing temperature control is tamper-proof, preventing accidental adjustment and ensuring that the quality of your frozen treats won't be compromised. The temperature control can be adjusted easily with a screwdriver when necessary.

The interior is made of painted steel, while the exterior is made of white powder-coated steel, ensuring durability and longevity in your commercial environment. Six PVC-coated baskets are included to help organize the freezer's contents and keep smaller items within easy reach of your customers.

The included casters make moving the unit for cleaning and maintenance much simpler. The freezer's bottom-mount 2/3 hp compressor uses R-290 refrigerant to deliver consistent temperatures between -8 and -4 degrees Fahrenheit. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. Plus, a drain and plug make cleaning and defrosting the interior a breeze. A 115V electrical connection is required for operation.



▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.