MAXtread™

VINYL MAT

Babcock-Davis' new MAXtread is a flexible, open weave, vinyl mat with carpet inlays. This system will trap dirt, snow and sand while retaining the debris within the grid and can be easily rolled back for cleaning. Ideal for retail applications with heavy pedestrian traffic.

FEATURES

HINGE-FREE, **NOISE-FREE** The injection molded mats are fused together to form a flexible mat. The flexible PVC can be rolled back for easy cleaning.

PATENTED HOLD-DOWN SYSTEM The mats are secured in place with a unique, hidden, retainer system. Engineered for easy installation and removal for cleaning.

HEAVY-DUTY, HIGH TRAFFIC The combination of the deep well, and the open weave design, creates a large debris collection area; necessary for high pedestrian traffic.



1 - 3

DETAILS

MATERIAL Vinyl **DEPTH** 1/2 inch

TREAD SPACING 2-1/4 inches on center

TREAD OPTIONS Polypropylene Carpet with hook and loop (replaceable) or glued (permanent) attachment

FRAME Level Bed or Surface Mount ROLLING LOAD 1200 lbs/wheel

MAT

MODEL	TREAD	FUNCTION	DEPTH	TRAFFIC
BMX12H	Poly Carpet, Hook & Loop*	Scraping	1/2"	Medium to Heavy
BMX12Z	Poly Carpet, Glued	Scraping	1/2"	Medium to Heavy

*Replaceable carpet

FRAME

MODEL	MOUNTING	MATERIAL	PROFILE	DEPTH
BFX12SV	Surface	Vinyl	2-3/4"	1/2"
BFX12SAM		Aluminum	_	1/2
BFX12LCH	Level Bed, Mech. Fastened Channel	Aluminum	3/4"	1/2
BFX12LTR	Level Bed, Mech. Fastened Transition	Aluminum	1"	1/2
BFX12LTO	Level Bed, Mech. Fastened Transition with Overhang	Aluminum	1"	1/2

TREADS



(Permanent)



Hook & Loop (Replaceable)

ATTACHMENT



Lock Down

FRAMES



Surface. Vinyl



Surface. Aluminum





Level Bed. Mech. Fastened Channel



Level Bed, Mech. Fastened Transition with Overhang